

according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Version number: GHS 1.0 Date of compilation: 2019-10-29 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifier** Identification of the substance 4-(Dimethylamino)benzaldehyde Registration number (REACH) this information is not available CAS number 100-10-7 Article number A0013285 Relevant identified uses of the substance or mixture and uses advised against 1.2 Relevant identified uses General use 1.3 Details of the supplier of the safety data sheet Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/ e-mail (competent person) chemos@chemos.de 1.4 **Emergency telephone number** Emergency information service +49 89 1 92 40 Poison centre Postal code/ Name Telefax Country Telephone city

SECTION 2: Hazards identification

United Kingdom

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

National Poison Information Centre

Medical Toxicology Unit

| Section Hazard class | | Category | Hazard class and cat- egory | Hazard state- ment |
|----------------------|---|----------|--------------------------------|-----------------------|
| 4.1C | hazardous to the aquatic environment - chronic hazard | 2 | Aquatic Chronic 2 | H411 |

SE14 5ER Lon-

don

+44 171 635 91 91

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word not required



according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Version number: GHS 1.0 Date of compilation: 2019-10-29 - Pictograms GHS09 - Hazard statements H411 Toxic to aquatic life with long lasting effects. - Precautionary statements P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container to industrial combustion plant. 2.3 Other hazards Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

| 3.1 | Substances | | | | |
|-----|-------------------|-------------------------------------|--|--|--|
| | Name of substance | 4-(dimethylamino)benzaldehyde | | | |
| | Identifiers | | | | |
| | CAS No | 100-10-7 | | | |
| | EC No | 202-819-0 | | | |
| | Molecular formula | C9H11NO | | | |
| | Molar mass | 149.2 ^g / _{mol} | | | |
| | | | | | |

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Brush off loose particles from skin. Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none



according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Version number: GHS 1.0

Date of compilation: 2019-10-29

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Version number: GHS 1.0

Date of compilation: 2019-10-29

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Ventilation requirements

Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occup | Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | |
|--------------|--|--------|-----------------|--------------|----------------|---------------|-----------------|----------------------|---|---------------|
| Coun- try | Name of agent | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [mg/m³] | | Source |
| GB | dust | | WEL | | 10 | | | | i | EH40/ 2005 |
| GB | dust | | WEL | | 4 | | | | r | EH40/ 2005 |

Notation

 Ceiling-C
 ceiling value is a limit value above which exposure should not occur

 i
 inhalable fraction

 r
 respirable fraction

 STEL
 short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

 TWA
 time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.



according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Version number: GHS 1.0

Date of compilation: 2019-10-29

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| Physical state | solid |
|----------------|----------------|
| Colour | various |
| Particle size | 47.9 μm |
| Odour | characteristic |

Other safety parameters

| pH (value) | not applicable |
|---|---|
| Melting point/freezing point | 70.7 °C at 1,013 hPa |
| Initial boiling point and boiling range | ≥295 – ≤330 °C at 1,013 hPa |
| Flash point | not applicable |
| Evaporation rate | not determined |
| Flammability (solid, gas) | this material is combustible, but will not ignite readily |
| Explosion limits of dust clouds | not determined |
| Vapour pressure | 0 hPa at 20 °C |
| Density | 1.22 ^g / _{cm³} at 20.1 °C |
| Vapour density | this information is not available |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Date of compilation: 2019-10-29

| Solubility(ies) | | | | |
|-----------------------------|---|--|--|--|
| - Water solubility | 778 ^{mg} / _l at 20 °C | | | |
| Partition coefficient | | | | |
| - n-octanol/water (log KOW) | 1.8 (23 °C) (ECHA) | | | |
| Auto-ignition temperature | not determined | | | |
| Viscosity | not relevant (solid matter) | | | |
| Explosive properties | none | | | |
| Oxidising properties | none | | | |

9.2 Other information

| Surface tension | 65.4 ^{mN} / _m (20 °C) (ECHA) |
|-----------------|--|
| Solid content | 100 % |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Version number: GHS 1.0 Date of compilation: 2019-10-29 **SECTION 11: Toxicological information** Information on toxicological effects 11.1 Classification according to GHS (1272/2008/EC, CLP) Acute toxicity Shall not be classified as acutely toxic. GHS of the United Nations, annex 4: May be harmful if swallowed. Skin corrosion/irritation Shall not be classified as corrosive/irritant to skin. Serious eye damage/eye irritation Shall not be classified as seriously damaging to the eye or eye irritant. Respiratory or skin sensitisation Shall not be classified as a respiratory or skin sensitiser. Germ cell mutagenicity Shall not be classified as germ cell mutagenic. Carcinogenicity Shall not be classified as carcinogenic. Reproductive toxicity Shall not be classified as a reproductive toxicant. Specific target organ toxicity - single exposure Shall not be classified as a specific target organ toxicant (single exposure). Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure). Aspiration hazard Shall not be classified as presenting an aspiration hazard. **SECTION 12: Ecological information**

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Biodegradation

Not readily biodegradable.

12.2 Persistence and degradability

| Process of degradability | | |
|--------------------------|------------------|------|
| Process | Degradation rate | Time |
| oxygen depletion | 0 % | 28 d |

12.3 Bioaccumulative potential

Data are not available.

| n-octanol/water (log KOW) | 1.8 (23 °C) (ECHA) |
|---------------------------|--------------------|
|---------------------------|--------------------|



according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Version number: GHS 1.0

Date of compilation: 2019-10-29

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

| SECT | SECTION 14: Transport information | | | | |
|------|-----------------------------------|--|--|--|--|
| 14.1 | UN number | 3077 | | | |
| 14.2 | UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. | | | |
| | Technical name | 4-(dimethylamino)benzaldehyde | | | |
| 14.3 | Transport hazard class(es) | | | | |
| | Class | 9 (environmentally hazardous) | | | |
| 14.4 | Packing group | III (substance presenting low danger) | | | |
| 14.5 | Environmental hazards | hazardous to the aquatic environment | | | |

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

| Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) | | | | |
|--|--|--|--|--|
| UN number | 3077 | | | |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. | | | |
| Class | 9 | | | |
| Classification code | M7 | | | |
| Packing group | III | | | |
| Danger label(s) | 9, fish and tree | | | |
| | | | | |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Date of compilation: 2019-10-29

| | - |
|--|---|
| | |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 274, 335, 375, 601 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | - |
| Hazard identification No | 90 |
| Emergency Action Code | 2Z |
| International Maritime Dangerous Goods Code (| IMDG) |
| UN number | 3077 |
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Class | 9 |
| Marine pollutant | Yes (hazardous to the aquatic environment) |
| Packing group | III |
| Danger label(s) | 9, fish and tree |
| | |
| Special provisions (SP) | 274, 335, 966, 967, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| EmS | F-A, S-F |
| Stowage category | A |
| International Civil Aviation Organization (ICAO- | IATA/DGR) |
| UN number | 3077 |
| Proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Class | 9 |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Packing group | III |
| Danger label(s) | 9, fish and tree |
| | |
| Special provisions (SP) | A97, A158, A179, A197 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 30 kg |
| | |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Date of compilation: 2019-10-29

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Deco-Paint Directive (2004/42/EC)

| VOC content | 0 % | |
|--|-----|--|
| Directive on industrial emissions (VOCs, 2010/75/EU) | | |
| VOC content | 0 % | |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| РВТ | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

4-(Dimethylamino)benzaldehyde

Date of compilation: 2019-10-29

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--|
| H411 | Toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.