

acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Revision: 2024-04-29 Replaces version of: 2019-07-25 (GHS 1) SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifier** Identification of the substance m-Phenylenediamine CAS number 108-45-2 Alternative name(s) benzene-1,3-diamine Article number A0000834 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses General use 1.3 Details of the supplier of the safety data sheet Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/ e-mail (competent person) chemos@chemos.de 1.4 **Emergency telephone number Emergency information service** +49 89 1 92 40 Poison centre Postal code/ Country Name Telephone Telefax city United Kingdom National Poison Information Centre SE14 5ER Lon-+44 171 635 91 91 Medical Toxicology Unit don

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.10	acute toxicity (oral)	3	Acute Tox. 3	H301
3.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	3.1I acute toxicity (inhal.)		Acute Tox. 3	H331
3.3	3 serious eye damage/eye irritation		Eye Irrit. 2	H319
3.4S	3.4S skin sensitisation		Skin Sens. 1	H317
3.5	3.5 germ cell mutagenicity		Muta. 2	H341
4.1C	hazardous to the aquatic environment - chronic hazard		Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

> The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word danger
- Pictograms

GHS06, GHS08, GHS09



- Hazard statements

H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H410	Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311	Call a POISON CENTER/doctor.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	m-phenylenediamine
Identifiers	
CAS No	108-45-2
EC No	203-584-7

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	100 ^{mg} / _{kg} 300 ^{mg} / _{kg} >0.5 ^{mg} / _l /4h	oral dermal inhalation: dust/mist
Molecular formula	C6H8N2		
Molar mass	108.1 ^g / _{mol}		



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Revision: 2024-04-29

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Revision: 2024-04-29

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
GB	dust		WEL	10					i	EH40/ 2005
GB	dust		WEL	4					r	EH40/ 2005

Notation

ſ

Ceiling-C ceiling value is a limit value above which exposure should not occur inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels					
Endpoint Threshold level Protection goal, route of exposure		Used in	Exposure time		
DNEL	0.24 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL 0.12 mg/kg bw/ human, dermal day		worker (industry)	chronic - systemic effects		
DNEL	0.49 µg/cm²	human, dermal	worker (industry)	acute - local effects	

Environmental values

Relevant	Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
PNEC	0.001 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
PNEC	1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	0.004 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)	

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1) Revision: 2024-04-29

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	not determined
Odour	characteristic
Melting point/freezing point	63.2 °C at 101.3 kPa
Boiling point or initial boiling point and boiling range	284 °C at 101.3 kPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not relevant (solid)
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant

Solubility(ies)

Water solubility	429,000 ^{mg} / _l at 20 °C
------------------	---

Partition coefficient

Partition coefficient n-octanol/water (log value)	-0.39 (pH value: 7, 25 °С) (ЕСНА)	



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1) Revision: 2024-04-29

Vapour pressure	0.038 Pa at 20 °C

Density and/or relative density

Density	709 ^g / _l at 22 °C
Relative vapour density	not relevant (solid)

	Particle characteristics	no data available
9.2	Other information	
	Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics	
	Solid content	100 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE) Oral 100 mg/kg Dermal 300 mg/kg Inhalation: dust/mist >0.5 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)

-0.39 (pH value: 7, 25 °С) (ЕСНА)

12.4 Mobility in soil

Data are not available.



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1) Revision: 2024-04-29

12.5 Results of PBT and vPvB assessment According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

SECTION 14. Transport information

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECI	ION 14: Transport information	
14.1	UN number or ID number	
	ADR/RID	UN 1673
	IMDG-Code	UN 1673
	ICAO-TI	UN 1673
14.2	UN proper shipping name	
	ADR/RID	PHENYLENEDIAMINES
	IMDG-Code	PHENYLENEDIAMINES
	ICAO-TI	Phenylenediamines
14.3	Transport hazard class(es)	
	ADR/RID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADR/RID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
116	Chariel process tions for user	

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

2024-04-29

Agreement concerning the Internatio Additional information	nal Carriage of Dangerous Goods by Road (ADR)
Classification code	Т2
Danger label(s)	6.1, fish and tree
Environmental hazards	YES (hazardous to the aquatic environment)
Special provisions (SP)	279, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	60
Emergency Action Code	2X
Regulations concerning the Internation Additional information	onal Carriage of Dangerous Goods by Rail (RID) -
Classification code	Τ2
Danger label(s)	6.1, fish and tree
Environmental hazards	Yes (hazardous to water)
Special provisions (SP)	279, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	2
Hazard identification No	60
International Maritime Dangerous Go	ods Code (IMDG) - Additional information
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	6.1, fish and tree
Special provisions (SP)	279
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-A
Stowage category	Α



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	6.1
Special provisions (SP)	A113
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.1	Registration number (REACH): this information is not available		yes
1.4	Emergency information service: +49 89 1 92 40 This number is only available during the following office hours: Mon-Fri 9 a.m 5 p.m.	Emergency information service: +49 89 1 92 40	yes
1.4		Poison centre: change in the listing (table)	yes
3.1		EC No: change in the listing (table)	yes
9.1	Appearance		yes
9.1	Colour: various	Colour: not determined	yes
9.1	Other safety parameters		yes
9.1		Lower and upper explosion limit: not relevant (solid)	yes
9.1	Evaporation rate: not determined		yes
9.1	Explosion limits of dust clouds: not determined		yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not relevant	yes
9.1		Density and/or relative density	yes



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Revision: 2024-04-29

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-re evant
9.1	Vapour density: this information is not available		yes
9.1	Viscosity: not relevant (solid matter)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Relative vapour density: not relevant (solid)	yes
9.1		Particle characteristics: no data available	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2		Other safety characteristics	yes
11.1		- Acute toxicity estimate (ATE): change in the listing (table)	yes
11.2		Information on other hazards: There is no additional information.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Other adverse effects: Data are not available.	Endocrine disrupting properties: Information on this property is not available.	yes
14.1	UN number: 1673	UN number or ID number	yes
14.1		ADR/RID: UN 1673	yes
14.1		IMDG-Code: UN 1673	yes
14.1		ICAO-TI: UN 1673	yes
14.2	UN proper shipping name: PHENYLENEDIAMINES	UN proper shipping name	yes
14.2		ADR/RID: PHENYLENEDIAMINES	yes
14.2		IMDG-Code: PHENYLENEDIAMINES	yes
14.2		ICAO-TI: Phenylenediamines	yes
14.3	Class: 6.1 (toxic substances) (environmentally hazard- ous)		yes
14.3		ADR/RID: 6.1	yes



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
14.3		IMDG-Code: 6.1	yes
14.3		ICAO-TI: 6.1	yes
14.4	Packing group: III (substance presenting low danger)	Packing group	yes
14.4		ADR/RID: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.7	UN number: 1673		yes
14.7	Proper shipping name: PHENYLENEDIAMINES		yes
14.7	Class: 6.1		yes
14.7	Packing group: III		yes
14.7		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID) - Addition- al information	yes
14.7		Classification code: T2	yes
14.7		Danger label(s): 6.1, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Environmental hazards: yes (hazardous to water)	yes
14.7		Special provisions (SP): 279, 802(ADN)	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 kg	yes
14.7		Transport category (TC): 2	yes
14.7		Hazard identification No: 60	yes
14.7	UN number: 1673		yes
14.7	Proper shipping name: PHENYLENEDIAMINES		yes
14.7	Class: 6.1		yes



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Revision: 2024-04-29

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
14.7	Packing group: III		yes
14.7	UN number: 1673		yes
14.7	Proper shipping name: Phenylenediamines		yes
14.7	Class: 6.1		yes
14.7	Packing group: III		yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, la- belling and packaging of substances and mix- tures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.Transport of danger- ous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Danger- ous Goods Code (IMDG). Dangerous Goods Regu- lations (DGR) for the air transport (IATA).	Key literature references and sources for data: Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Danger- ous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air



acc. to Regulation (EC) No. 1907/2006 (REACH)

m-Phenylenediamine

Revision: 2024-04-29

Version number: GHS 2.0 Replaces version of: 2019-07-25 (GHS 1)

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.