

according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **1,4-Diaminobutane** 

Registration number (REACH) this information is not available

CAS number 110-60-1 Article number A0008371

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

Uses advised against Do not use for squirting or spraying. Do not use

for products which come into direct contact with

the skin.

#### 1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

#### 1.4 Emergency telephone number

Emergency information service This number is only available during the follow-

ing office hours: Mon - Thu 08:00 AM - 05:00 PM,

Fri 08:00 AM - 12:00 PM

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.7	flammable solid	1	Flam. Sol. 1	H228
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

United Kingdom: en Page: 1 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

#### 2.2 **Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS02, GHS05, GHS06





#### - Hazard statements

H228 Flammable solid. H302 Harmful if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

#### - Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210

smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305+P351+P338

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### **Substances** 3.1

Name of substance 1,4-Diaminobutane

Identifiers

CAS No 110-60-1 EC No 203-782-3 Molecular formula C4H12N2 Molar mass 88.15 <sup>g</sup>/<sub>mol</sub>

## **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

United Kingdom: en Page: 2 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains, Take up mechanically

United Kingdom: en Page: 3 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

Advices on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [mg/m³]	STEL [ppm]		Ceiling-C [mg/m³]		Source
GB	dust		WEL	10				i	EH40/ 2005

United Kingdom: en Page: 4 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

#### Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]		Ceiling-C [mg/m³]		Source
GB	dust		WEL		4				r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

#### **Human health values**

#### Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	7.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	7.3 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	7.3 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	7.3 mg/m³	human, inhalatory	worker (industry)	acute - local effects

#### **Environmental values**

#### Relevant PNECs and other threshold levels

Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.73 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.073 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	3.25 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.648 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.148 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

United Kingdom: en Page: 5 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

# **Appearance**

Physical state	solid
Colour	colourless
Odour	pungent

## Other safety parameters

pH (value)	not applicable
Melting point/freezing point	28 °C
Initial boiling point and boiling range	158 – 159 °C at 1,013 hPa
Flash point	45 °C at 101.3 kPa
Evaporation rate	not determined
Flammability (solid, gas)	flammable solid in accordance with GHS criteria
Explosion limits of dust clouds	not determined
Vapour pressure	436 Pa at 25 °C
Density	0.877 <sup>g</sup> / <sub>cm³</sub> at 25 °C
Vapour density	this information is not available

## Solubility(ies)

- Water solubility	1,000,000 <sup>mg</sup> / <sub>l</sub>
--------------------	--

#### Partition coefficient

- n-octanol/water (log KOW)	-0.84 (25 °C) (ECHA)
Auto-ignition temperature	

Viscosity

United Kingdom: en Page: 6 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

- Kinematic viscosity	2.184 <sup>mm²</sup> / <sub>s</sub>
- Dynamic viscosity	1.915 mPa s at 25 °C
Explosive properties	none
Oxidising properties	none

#### 9.2 Other information

Surface tension	0.033 <sup>N</sup> / <sub>m</sub> (40 °C) (ECHA)
Solid content	100 %
Temperature class (EU, acc. to ATEX)	T2 (maximum permissible surface temperature on the equipment: 300°C)

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.5 Incompatible materials

Oxidisers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

## Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Toxic in contact with skin. Fatal if inhaled.

United Kingdom: en Page: 7 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

#### - Acute toxicity estimate (ATE)

 $\begin{array}{ll} \text{Oral} & 740 \, ^{\text{mg}} / _{\text{kg}} \\ \text{Dermal} & 300 \, ^{\text{mg}} / _{\text{kg}} \\ \text{Inhalation: dust/mist} & 0.05 \, ^{\text{mg}} / _{\text{l}} / _{\text{4}} \\ \end{array}$ 

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The substance is readily biodegradable. The relevant substances of the mixture are readily biodegradable.

#### 12.2 Persistence and degradability

Process of degradability

Process	Degradation rate	Time
carbon dioxide generation	≥89 %	28 d

#### 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-0.84 (25 °C) (ECHA)
---------------------------	----------------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom: en Page: 8 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

#### 12.6 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **SECTION 14: Transport information**

14.1	UN number	2925

**14.2 UN proper shipping name** FLAMMABLE SOLID, CORROSIVE, ORGANIC,

N.O.S.

Technical name 1,4-Diaminobutane

14.3 Transport hazard class(es)

Class 4.1 (flammable solids)
Subsidiary risk(s) 8 (corrosive effects)

**14.4** Packing group II (substance presenting medium danger)

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

## 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### **Information for each of the UN Model Regulations**

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 2925

Proper shipping name FLAMMABLE SOLID, CORROSIVE, ORGANIC,

N.O.S.

Class 4.1
Classification code FC1
Packing group II
Danger label(s) 4.1+8



United Kingdom: en Page: 9 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	Е
Hazard identification No	48
Emergency Action Code	1W

#### **International Maritime Dangerous Goods Code (IMDG)**

UN number 2925

Proper shipping name FLAMMABLE SOLID, CORROSIVE, ORGANIC,

N.O.S.

Class 4.1
Subsidiary risk(s) 8
Marine pollutant Packing group II
Danger label(s) 4.1+8





Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

EmS F-A, S-G

Stowage category D

#### **International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number 2925

Proper shipping name Flammable solid, corrosive, organic, n.o.s.

Class 4.1
Subsidiary risk(s) 8
Packing group II
Danger label(s) 4.1+8





Special provisions (SP) A3
Excepted quantities (EQ) E2
Limited quantities (LQ) 5 kg

United Kingdom: en Page: 10 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

**Deco-Paint Directive (2004/42/EC)** 

VOC content	100 %
-------------	-------

#### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	100 %
-------------	-------

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
	·
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

United Kingdom: en Page: 11 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

# 1,4-Diaminobutane

Version number: GHS 1.0 Date of compilation: 2019-04-08

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H228	Flammable solid.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 12 / 12