

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance	<b>Antimony(V) sulfide</b>
CAS number	1315-04-4
Article number	A0287757

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	General use
--------------------------	-------------

#### 1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG  
 Sonnenring 7  
 84032 Altdorf  
 Germany

Telephone: +49 871-966346-0  
 Telefax: +49 871-966346-13  
 e-mail: chemos@chemos.de  
 Website: <http://www.chemos.de/>

e-mail (competent person)	chemos@chemos.de
---------------------------	------------------

#### 1.4 Emergency telephone number

Emergency information service	+49 89 1 92 40
-------------------------------	----------------

Poison centre				
Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER London	+44 171 635 91 91	

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.7	flammable solid	1	Flam. Sol. 1	H228
3.1O	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects  
 Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

- Signal word                      danger

- Pictograms

GHS02, GHS07, GHS09



- Hazard statements

H228                      Flammable solid.  
H302+H332            Harmful if swallowed or if inhaled.  
H411                      Toxic to aquatic life with long lasting effects.

- Precautionary statements

P210                      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261                      Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273                      Avoid release to the environment.  
P312                      Call a POISON CENTRE/doctor if you feel unwell.  
P370+P378            In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.  
P391                      Collect spillage.  
P501                      Dispose of contents/container to industrial combustion plant.

### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance    Antimony(V) sulfide

Identifiers

CAS No    1315-04-4

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	500 mg/kg 1.5 mg/l/4h	oral inhalation: dust/mist

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Brush off loose particles from skin. Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

##### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	dust		WEL		10					i	EH40/2005
GB	dust		WEL		4					r	EH40/2005

##### Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

i

inhalable fraction

r

respirable fraction

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	yellow-orange
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable solid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	not determined

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### Partition coefficient

Partition coefficient n-octanol/water (log value)	not relevant (inorganic)
---	--------------------------

Vapour pressure	not determined
-----------------	----------------

### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	no data available
--------------------------	-------------------

## 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

### Other safety characteristics

Solid content	100 %
---------------	-------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

- Acute toxicity estimate (ATE)

Oral	500 mg/kg
Inhalation: dust/mist	1.5 mg/l/4h

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### 12.6 Endocrine disrupting properties

Information on this property is not available.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packageings

It is a dangerous waste; only packageings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADR/RID	UN 3178
IMDG-Code	UN 3178
ICAO-TI	UN 3178

### 14.2 UN proper shipping name

ADR/RID	FLAMMABLE SOLID, INORGANIC, N.O.S.
IMDG-Code	FLAMMABLE SOLID, INORGANIC, N.O.S.
ICAO-TI	Flammable solid, inorganic, n.o.s.
Technical name	Antimony(V) sulfide

### 14.3 Transport hazard class(es)

ADR/RID	4.1
IMDG-Code	4.1
ICAO-TI	4.1

### 14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

### 14.5 Environmental hazards

hazardous to the aquatic environment

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### **Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information**

Classification code F3  
Danger label(s) 4.1, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)  
Special provisions (SP) 274  
Excepted quantities (EQ) E2  
Limited quantities (LQ) 1 kg  
Transport category (TC) 2  
Tunnel restriction code (TRC) E  
Hazard identification No 40  
Emergency Action Code 1Z

##### **Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information**

Classification code F3  
Danger label(s) 4.1, fish and tree



Environmental hazards yes (hazardous to water)  
Special provisions (SP) 274  
Excepted quantities (EQ) E2  
Limited quantities (LQ) 1 kg  
Transport category (TC) 2  
Hazard identification No 40

##### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

Marine pollutant yes (hazardous to the aquatic environment)  
Danger label(s) 4.1, fish and tree



Special provisions (SP) 274  
Excepted quantities (EQ) E2  
Limited quantities (LQ) 1 kg  
EmS F-A, S-G  
Stowage category B

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 4.1



Special provisions (SP) A3

Excepted quantities (EQ) E2

Limited quantities (LQ) 5 kg

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Deco-Paint Directive

VOC content	0 %
-------------	-----

##### Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

##### National regulations (GB)

##### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

##### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Antimony(V) sulfide	flammable / pyrophoric		40

##### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	NDSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed as "ACTIVE"

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

### Legend

AIIC	Australian Inventory of Industrial Chemicals
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
EC SI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)

## Antimony(V) sulfide

Version number: GHS 1.0

Date of compilation: 2023-01-23

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.