

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Identification of the substance	<b>N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine</b>
Registration number (REACH)	this information is not available
CAS number	33329-35-0
Alternative name(s)	(3-{bis[3-(dimethylamino)propyl]amino}propyl)dimethylamine
Article number	A0108378

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses	General use
Uses advised against	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

**1.3 Details of the supplier of the safety data sheet**

Chemos GmbH & Co. KG  
Sonnenring 7  
84032 Altdorf  
Germany

Telephone: +49 871-966346-0  
Telefax: +49 871-966346-13  
e-mail: chemos@chemos.de  
Website: <http://www.chemos.de/>

e-mail (competent person) chemos@chemos.de

**1.4 Emergency telephone number**

Emergency information service This number is only available during the following office hours: Mon - Thu 08:00 AM - 05:00 PM, Fri 08:00 AM - 12:00 PM

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.1D	acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

## N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine

Version number: GHS 1.0

Date of compilation: 2019-05-09

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS05, GHS06



- Hazard statements

H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H330 Fatal if inhaled.  
H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine
Identifiers	
CAS No	33329-35-0
EC No	251-459-0
Molecular formula	C <sub>15</sub> H <sub>36</sub> N <sub>4</sub>
Molar mass	272.5 g/mol

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

**SECTION 4: First aid measures****4.1 Description of first aid measures**

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

## Following skin contact

Wash with plenty of soap and water.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

## Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

## Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

## For non-emergency personnel

Remove persons to safety.

## For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine

Version number: GHS 1.0

Date of compilation: 2019-05-09

### 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

This information is not available.

#### Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.05 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.005 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.02 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.013 mg/kg	terrestrial organisms	soil	short-term (single instance)

**8.2 Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

Physical state	liquid
Colour	various
Odour	characteristic

**Other safety parameters**

pH (value)	not determined
Melting point/freezing point	<-91 °C at 1 atm
Initial boiling point and boiling range	>175 °C at 1 atm
Flash point	138 °C at 1 atm
Evaporation rate	not determined

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapour pressure	133 Pa at 283.2 K
Density	848 g/l at 22.5 °C
Vapour density	this information is not available

Solubility(ies)

- Water solubility	>54,990 mg/l at 25 °C
--------------------	-----------------------

Partition coefficient

- n-octanol/water (log KOW)	≥0 – 0.05 (pH value: 12.2, 25 °C) (ECHA)
- Soil organic carbon/water (log KOC)	0.692 (ECHA)

Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidising properties	none

**9.2 Other information**

Surface tension	62.08 mN/m (21 °C) (ECHA)
Solvent content	100 %

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

**10.2 Chemical stability**

See below "Conditions to avoid".

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

There are no specific conditions known which have to be avoided.

**10.5 Incompatible materials**

Oxidisers

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Classification according to GHS (1272/2008/EC, CLP)**

Acute toxicity

Harmful in contact with skin. Fatal if inhaled.

- Acute toxicity estimate (ATE)

Dermal 1,220 mg/kg  
Inhalation: vapour 2 mg/l/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
EC50	>1,000 mg/l	microorganisms	3 h

**12.2 Persistence and degradability**

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	0.9 %	28 d

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

**12.3 Bioaccumulative potential**

Data are not available.

n-octanol/water (log KOW)	≥0 – 0.05 (pH value: 12.2, 25 °C) (ECHA)
BCF	2 (ECHA)

**12.4 Mobility in soil**

Data are not available.

The Organic Carbon normalised adsorption coefficient	0.692 (ECHA)
--	--------------

**12.5 Results of PBT and vPvB assessment**

Data are not available.

**12.6 Other adverse effects**

Data are not available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information**

<b>14.1 UN number</b>	2927
<b>14.2 UN proper shipping name</b>	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Technical name	N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine
<b>14.3 Transport hazard class(es)</b>	
Class	6.1 (toxic substances)
Subsidiary risk(s)	8 (corrosive effects)
<b>14.4 Packing group</b>	II (substance presenting medium danger)
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
	Provisions for dangerous goods (ADR) should be complied within the premises.
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
	The cargo is not intended to be carried in bulk.



**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

**Information for each of the UN Model Regulations**

**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	2927
Proper shipping name	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Class	6.1
Classification code	TC1
Packing group	II
Danger label(s)	6.1+8



Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 ml
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	68
Emergency Action Code	2XE

**International Maritime Dangerous Goods Code (IMDG)**

UN number	2927
Proper shipping name	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Class	6.1
Subsidiary risk(s)	8
Marine pollutant	-
Packing group	II
Danger label(s)	6.1+8



Special provisions (SP)	274
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 mL
EmS	F-A, S-B
Stowage category	B

**International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number	2927
Proper shipping name	Toxic liquid, corrosive, organic, n.o.s.
Class	6.1
Subsidiary risk(s)	8
Packing group	II

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

Danger label(s) 6.1+8



Special provisions (SP) A4, A137

Exempted quantities (EQ) E4

Limited quantities (LQ) 0,5 L

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Relevant provisions of the European Union (EU)**

**Deco-Paint Directive (2004/42/EC)**

VOC content	100 %
-------------	-------

**Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content	100 %
-------------	-------

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this substance.

**SECTION 16: Other information**

**Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code

**N,N-bis[3-(dimethylamino)propyl]-N',N'-dimethylpropane-1,3-diamine**

Version number: GHS 1.0

Date of compilation: 2019-05-09

Abbr.	Descriptions of used abbreviations
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

**Key literature references and sources for data**

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**List of relevant phrases (code and full text as stated in chapter 2 and 3)**

Code	Text
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H412	Harmful to aquatic life with long lasting effects.

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.