

acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0			Date of compilation: 2023-05-11					
SEC	TION 1: Identificat	ion of the substance/mixture	and of the c	ompany/underta	king			
1.1	Product identifie	r						
	Identification of th	e substance	Ammonium	mercaptoacetate				
	CAS number		5421-46-5					
	Alternative name(s	5)	ammonium 2	2-sulfanylacetate				
	Article number		A0246032					
1.2	Relevant identifie	ed uses of the substance or mix	kture and use	s advised against				
	Relevant identified	luses	General use					
1.3	Details of the sup	Details of the supplier of the safety data sheet						
	Chemos GmbH & 0 Sonnenring 7 84032 Altdorf Germany	Co. KG						
	Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/ e-mail (competent person)							
			chemos@che	emos.de				
1.4	Emergency telepl	hone number						
	Emergency information service		+49 89 1 92 40					
	Poison centre							
	Country	Name	Postal code/ city	Telephone	Telefax			
	United Kingdom	National Poison Information Centre	SE14 5ER Lon-	+44 171 635 91 91				

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Medical Toxicology Unit

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	acute toxicity (oral)	3	Acute Tox. 3	H301
3.4S	skin sensitisation		Skin Sens. 1B	H317
4.1C	4.1C hazardous to the aquatic environment - chronic hazard		Aquatic Chronic 3	H412

don

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0 Date of compilation: 2023-05-11 Labelling - Signal word danger - Pictograms GHS05, GHS06 - Hazard statements H290 May be corrosive to metals. H301 Toxic if swallowed. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. - Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/container to industrial combustion plant. 2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Ammonium mercaptoacetate
5421-46-5
226-540-9

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	>50 ^{mg} / _{kg}	oral

SECTION 4: First aid measures

4.1 **Description of first aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0

Date of compilation: 2023-05-11

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0

Date of compilation: 2023-05-11

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.937 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0.24 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0

Date of compilation: 2023-05-11

Relevant	Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
PNEC	0.01 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.001 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
PNEC	0.038 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0.004 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0.001 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)	

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	<-20 °C
Boiling point or initial boiling point and boiling range	115 °C at 1,021 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0

Date of compilation: 2023-05-11

Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	≥165 – ≤267 °C at 1,021 hPa (ЕСНА)
pH (value)	not determined
Kinematic viscosity	9.066 ^{mm²} / _s at 20 °C

Solubility(ies)

Water solubility	>1,000 ^g / _l at 20 °C
------------------	---

Partition coefficient

Partition coefficient n-octanol/water (log value)	-2.99 (pH value: 7, 22 °C) (ECHA)	
Soil organic carbon/water (log KOC)	0.159 (есна)	

Vapour pressure	0 mmHg at 25 °C
-----------------	-----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Partic	le characteristics	not relevant (liquid)
--------	--------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	
Liquid content 100 %	

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0

Date of compilation: 2023-05-11

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed.

- Acute toxicity estimate (ATE) Oral >50 ^{mg}/_{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0

Date of compilation: 2023-05-11

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
EC50	530 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process Degradation rate Time		
carbon dioxide generation	>60 %	28 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	-2.99 (pH value: 7, 22 °C) (ECHA)	

12.4 Mobility in soil

The Organic Carbon normalised adsorption0.coefficient0.	0.159 (ECHA)
---	--------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



Version number: GHS 1.0

Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Date of compilation: 2023-05-11

SECT	SECTION 14: Transport information		
14.1	UN number or ID number	not assigned	
14.2	UN proper shipping name	not assigned	
14.3	Transport hazard class(es)	none	
14.4	Packing group	not assigned	
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations	

14.6 Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - Additional information not assigned

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information not assigned

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content	100 %
Industrial Emissions Directive (IED)	
VOC content 100 %	

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonium mercaptoacetate

Version number: GHS 1.0	Date of compilation: 2023-05-11
Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the In-ternational Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dan-gerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.