

## **o-(P-isocyanatobenzyl)phenyl isocyanate**

Version number: GHS 1.0

Date of compilation: 2020-06-08

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

Identification of the substance	<b>o-(P-isocyanatobenzyl)phenyl isocyanate</b>
Registration number (REACH)	01-2119480143-45-xxxx
CAS number	5873-54-1
Alternative name(s)	1-isocyanato-2-[(4-isocyanatophenyl)methyl]benzene
Article number	A0118328

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses	General use
--------------------------	-------------

#### **1.3 Details of the supplier of the safety data sheet**

Chemos GmbH & Co. KG  
Sonnenring 7  
84032 Altdorf  
Germany

Telephone: +49 871-966346-0  
Telefax: +49 871-966346-13  
e-mail: chemos@chemos.de  
Website: <http://www.chemos.de/>

e-mail (competent person) chemos@chemos.de

#### **1.4 Emergency telephone number**

Emergency information service +49 89 1 92 40

Poison centre				
Country	Name	Postal code/city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER London	+44 171 635 91 91	

### **SECTION 2: Hazards identification**

#### **2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.1I	acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4R	respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	skin sensitisation	1	Skin Sens. 1	H317
3.6	carcinogenicity	2	Carc. 2	H351

## o-(P-isocyanatobenzyl)phenyl isocyanate

Version number: GHS 1.0

Date of compilation: 2020-06-08

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects  
 Delayed or immediate effects can be expected after short or long-term exposure.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word                      danger

- Pictograms

GHS06, GHS08



- Hazard statements

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 In case of inadequate ventilation wear respiratory protection.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P310 Immediately call a POISON CENTER/doctor.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container to industrial combustion plant.

### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	o-(p-isocyanatobenzyl)phenyl isocyanate
Identifiers	
REACH Reg. No	01-2119480143-45-xxxx
CAS No	5873-54-1
EC No	227-534-9
Index No	615-005-00-9

**o-(P-isocyanatobenzyl)phenyl isocyanate**

Version number: GHS 1.0

Date of compilation: 2020-06-08

Molecular formula

C<sub>15</sub>H<sub>10</sub>N<sub>2</sub>O<sub>2</sub>**SECTION 4: First aid measures****4.1 Description of first aid measures**

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

## Following skin contact

Rinse skin with water/shower.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **o-(P-isocyanatobenzyl)phenyl isocyanate**

Version number: GHS 1.0

Date of compilation: 2020-06-08

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### **6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### **6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### **6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### **7.2 Conditions for safe storage, including any incompatibilities**

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

## o-(P-isocyanatobenzyl)phenyl isocyanate

Version number: GHS 1.0

Date of compilation: 2020-06-08

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	dust		WEL		10					i	EH40/2005
GB	dust		WEL		4					r	EH40/2005
GB	isocyanates, compounds	5873-54-1	WEL		0.02		0.07			NCO	EH40/2005

#### Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur  
i inhalable fraction  
NCO measured total-NCO (isocyanate)  
r respirable fraction  
STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)  
TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

Biological limit values						
Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	Isocyanates (applies to HDI, IPDI, TDI and MDI)	isocyanate-derived diamine	crea	BMGV	1 µmol/mol	EH40/2005

#### Notation

crea creatinine

### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	0.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

### Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.1 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

## o-(P-isocyanatobenzyl)phenyl isocyanate

Version number: GHS 1.0

Date of compilation: 2020-06-08

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	1 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid
Colour	various
Odour	characteristic

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	34 – 38 °C
Initial boiling point and boiling range	not determined
Flash point	208 °C at 1,000 hPa
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined

## o-(P-isocyanatobenzyl)phenyl isocyanate

Version number: GHS 1.0

Date of compilation: 2020-06-08

Vapour pressure	0.001 Pa at 20 °C
Density	1.24 g/cm <sup>3</sup> at 20 °C
Vapour density	this information is not available

### Solubility(ies)

- Water solubility	7.5 mg/l at 25 °C
--------------------	-------------------

### Partition coefficient

- n-octanol/water (log KOW)	4.51 (pH value: ~7, 22 °C) (ECHA)
-----------------------------	-----------------------------------

Auto-ignition temperature	
Decomposition temperature	241 °C (ECHA)
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

## 9.2 Other information

Solid content	100 %
Temperature class (EU, acc. to ATEX)	T1 (maximum permissible surface temperature on the equipment: 450°C)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **o-(P-isocyanatobenzyl)phenyl isocyanate**

Version number: GHS 1.0

Date of compilation: 2020-06-08

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Classification according to GHS (1272/2008/EC, CLP)**

Acute toxicity

Fatal if inhaled.

GHS of the United Nations, annex 4: May be harmful if swallowed.

- Acute toxicity estimate (ATE)

Inhalation: dust/mist 0.368 mg/l/4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### **SECTION 12: Ecological information**

#### **12.1 Toxicity**

Shall not be classified as hazardous to the aquatic environment.

#### **12.2 Persistence and degradability**

Data are not available.

#### **12.3 Bioaccumulative potential**

Data are not available.

n-octanol/water (log KOW)	4.51 (pH value: ~7, 22 °C) (ECHA)
BCF	92 (ECHA)

#### **12.4 Mobility in soil**

Data are not available.



## o-(P-isocyanatobenzyl)phenyl isocyanate

Version number: GHS 1.0

Date of compilation: 2020-06-08

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

<b>14.1 UN number</b>	2811
<b>14.2 UN proper shipping name</b>	TOXIC SOLID, ORGANIC, N.O.S.
Technical name	o-(p-isocyanatobenzyl)phenyl isocyanate
<b>14.3 Transport hazard class(es)</b>	
Class	6.1 (toxic substances)
<b>14.4 Packing group</b>	II (substance presenting medium danger)
<b>14.5 Environmental hazards</b>	non-environmentally hazardous acc. to the dangerous goods regulations
<b>14.6 Special precautions for user</b>	
	Provisions for dangerous goods (ADR) should be complied within the premises.
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
	The cargo is not intended to be carried in bulk.

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	2811
Proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Class	6.1
Classification code	T2
Packing group	II
Danger label(s)	6.1



Special provisions (SP)	274, 614, 802(ADN)
-------------------------	--------------------

**o-(P-isocyanatobenzyl)phenyl isocyanate**

Version number: GHS 1.0

Date of compilation: 2020-06-08

Excepted quantities (EQ)	E4
Limited quantities (LQ)	500 g
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	60
Emergency Action Code	2X

**International Maritime Dangerous Goods Code (IMDG)**

UN number	2811
Proper shipping name	TOXIC SOLID, ORGANIC, N.O.S.
Class	6.1
Marine pollutant	-
Packing group	II
Danger label(s)	6.1



Special provisions (SP)	274
Excepted quantities (EQ)	E4
Limited quantities (LQ)	500 g
EmS	F-A, S-A
Stowage category	B

**International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number	2811
Proper shipping name	Toxic solid, organic, n.o.s.
Class	6.1
Packing group	II
Danger label(s)	6.1



Special provisions (SP)	A3, A5
Excepted quantities (EQ)	E4
Limited quantities (LQ)	1 kg

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Relevant provisions of the European Union (EU)**

**Deco-Paint Directive (2004/42/EC)**

VOC content	0 %
-------------	-----

## o-(P-isocyanatobenzyl)phenyl isocyanate

Version number: GHS 1.0

Date of compilation: 2020-06-08

### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
-------------	-----

### National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value

## o-(P-isocyanatobenzyl)phenyl isocyanate

Version number: GHS 1.0

Date of compilation: 2020-06-08

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**o-(P-isocyanatobenzyl)phenyl isocyanate**

Version number: GHS 1.0

Date of compilation: 2020-06-08

**List of relevant phrases (code and full text as stated in chapter 2 and 3)**

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.