

acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP -Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name ChloroformChloroform - for analysis, ISO, ACS,

Reag.Ph.Eur., Reag.USP - Stabilized with ethan-

CAS number 67-66-3

trichloromethane, Chloroform Alternative name(s)

Article number A0304055

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

Details of the supplier of the safety data sheet 1.3

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

1.4 **Emergency telephone number**

Emergency information service +49 89 1 92 40

Poison centre

Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER Lon- don	+44 171 635 91 91	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	2	Flam. Liq. 2	H225
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	carcinogenicity	2	Carc. 2	H351

United Kingdom: en Page: 1 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.7	reproductive toxicity	2	Repr. 2	H361d
3.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS02, GHS06, GHS08





- Hazard statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

....

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

- Hazardous ingredients for labelling chloroform

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

United Kingdom: en Page: 2 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-03-01 (GHS 2)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

Identifiers

CAS No 67-66-3
EC No 200-663-8
Index No 602-006-00-4

(GB CLP)

Molecular formula CHCl3
Molar mass 119.4 g/mol

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
chloroform	CAS No 67-66-3	≥ 90	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315	
	EC No 200-663-8		Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d	•
	Index No 602-006-00-4		STOT RE 1 / H372	
Ethanol	CAS No 64-17-5	10-<25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319	<u>(4)</u>
	EC No 200-578-6			•
	Index No 603-002-00-5			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
chloroform	-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: vapour
Ethanol	Eye Irrit. 2; H319: C ≥ 50 %	-	-	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

United Kingdom: en Page: 3 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

United Kingdom: en Page: 4 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

United Kingdom: en Page: 5 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-03-01 (GHS 2)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [mg/m³]		Source
EU	chloroform	67-66-3	IOELV	2	10				Н	2000/ 39/EC
GB	ethanol	64-17-5	WEL	1,000	1,920					EH40/ 2005
GB	chloroform	67-66-3	WEL	2	9.9					EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

H absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	2.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects	
DNEL	2.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects	
DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - local effects	
DNEL	2.86 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects	

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
chloroform	67-66-3	DNEL	2.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects
chloroform	67-66-3	DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
chloroform	67-66-3	DNEL	2.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
chloroform	67-66-3	DNEL	5 mg/m³	human, inhalatory	worker (industry)	acute - local effects
chloroform	67-66-3	DNEL	2.86 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects

United Kingdom: en Page: 6 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

Environmental values

Relevant PNECs and other threshold levels

Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.146 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.015 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	0.048 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.45 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.09 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.56 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
chloroform	67-66-3	PNEC	0.146 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.015 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.048 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.45 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.09 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
chloroform	67-66-3	PNEC	0.56 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

United Kingdom: en Page: 7 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-03-01 (GHS 2)

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	64.7 °C at 1,013 hPa
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	2.5 vol% - 13.5 vol%
Flash point	9.7 °C at 1,013 hPa
Auto-ignition temperature	455 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined

Solubility(ies)

Water solubility	8.7 ^g / _l at 23 °C
------------------	--

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
Soil organic carbon/water (log KOC)	1.8 – 2.6 (ECHA)

Vapour pressure	169.3 hPa at 25 °C
-----------------	--------------------

United Kingdom: en Page: 8 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
--	------------------------------------

Other safety characteristics

Liquid content	100 %
Solid content	0 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United Kingdom: en Page: 9 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-03-01 (GHS 2)

SECTION 11: Toxicological information 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

- Acute toxicity estimate (ATE)
Oral 908 mg/kg
Inhalation: vapour 3 mg/l/4h

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
chloroform	67-66-3	oral	908 ^{mg} / _{kg}
chloroform	67-66-3	inhalation: vapour	3 ^{mg} / _l /4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

United Kingdom: en Page: 10 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08 Replaces version of: 2023-03-01 (GHS 2)

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID UN 1888 IMDG-Code UN 1888 ICAO-TI UN 1888

14.2 UN proper shipping name

ADR/RID CHLOROFORM IMDG-Code CHLOROFORM ICAO-TI Chloroform

United Kingdom: en Page: 11 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

14.3 Transport hazard class(es)

ADR/RID 6.1

IMDG-Code 6.1

ICAO-TI 6.1

14.4 Packing group

ADR/RID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code T1
Danger label(s) 6.1



Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 60
Emergency Action Code 22

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code T1
Danger label(s) 6.1



Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

United Kingdom: en Page: 12 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

Transport category (TC) 2
Hazard identification No 60

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 6.1



Special provisions (SP) Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-A

Stowage category A

Segregation group 10 - Liquid halogenated hydrocarbons

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 6.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 2 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content 100 %	VOC content	100 %
-------------------	-------------	-------

Industrial Emissions Directive (IED)

VOC content	100 %
-------------	-------

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous	substances with	restrictions (G	B REACH	Δnnav 17)
Danuerous	Substances with	1 1 6201 1001 12 10	ID REACH.	Alliex 1/1

Name of substance	Name acc. to inventory	CAS No	No
chloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/ 2008/EC		3

United Kingdom: en Page: 13 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Replaces version of: 2023-03-01 (GHS 2) Revision: 2024-01-08

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
chloroform	Chloroform	67-66-3	32

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

United Kingdom: en Page: 14 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Replaces version of: 2023-03-01 (GHS 2) Revision: 2024-01-08

Abbr.	Descriptions of used abbreviations
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

United Kingdom: en Page: 15 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

ChloroformChloroform - for analysis, ISO, ACS, Reag.Ph.Eur., Reag.USP - Stabilized with ethanol

Version number: GHS 3.0 Revision: 2024-01-08

Replaces version of: 2023-03-01 (GHS 2)

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H351	Suspected of causing cancer.	
H361d	Suspected of damaging the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 16 / 16