

acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Olefin sulfonated, sodium salt, 40% ag. solu-

tion

CAS number 68439-57-6 Article number A0046448

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial uses

1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

1.4 Emergency telephone number

Emergency information service +49 89 1 92 40

Poison centre

Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER Lon- don	+44 171 635 91 91	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

United Kingdom: en Page: 1 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

GHS05



- Hazard statements

H315 Causes skin irritation. H318 Causes serious eye damage.

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

- Hazardous ingredients for labelling Reference substance 001

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

Identifiers

CAS No 68439-57-6

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Reference substance 001	CAS No 68439-57-6	25 - < 50	Skin Irrit. 2 / H315 Eye Dam. 1 / H318	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Reference substance 001	Skin Irrit. 2; H315: C ≥ 5 % Eye Dam. 1; H318: C ≥ 38 % Eye Irrit. 2; H319: 5 % ≤ C < 38 %	-	-	

For full text of abbreviations: see SECTION 16.

United Kingdom: en Page: 2 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08

Replaces version of: 2023-11-07 (GHS 2)

SECTION 4: First aid measures

Description of first aid measures

General notes

4.1

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

United Kingdom: en Page: 3 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% ag. solution

Version number: GHS 3.0 Revision: 2023-11-08

Replaces version of: 2023-11-07 (GHS 2)

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components							
Name of substance	CAS No	Endpoint		Protection goal, route of exposure	Used in	Exposure time	
Reference substance 001	68439-57-6	DNEL	152.2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects	

United Kingdom: en Page: 4 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

Relevant DNELs of components

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Reference substance 001	68439-57-6	DNEL	2,158 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects

Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Reference substance 001	68439-57-6	PNEC	0.024 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Reference substance 001	68439-57-6	PNEC	0.002 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Reference substance 001	68439-57-6	PNEC	4 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
Reference substance 001	68439-57-6	PNEC	0.767 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
Reference substance 001	68439-57-6	PNEC	0.077 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
Reference substance 001	68439-57-6	PNEC	1.21 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 5 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	not determined
Odour	characteristic
Melting point/freezing point	-3 °C
Boiling point or initial boiling point and boiling range	100 °C at 1,013 mbar
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	6 – 8 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	<0.001 Pa at 25 °C
-----------------	--------------------

Density and/or relative density

Density	1.05 ^g / _{cm³}
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
--	--

United Kingdom: en Page: 6 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% ag. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

Other safety characteristics

Liquid content	60 %
Solid content	40 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United Kingdom: en Page: 7 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% ag. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 8 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

SECTION 14: Transport information

14.1 UN number or ID number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.2	Relevant identified uses: General use	Relevant identified uses: Industrial uses	yes

United Kingdom: en Page: 9 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom: en Page: 10 / 11



acc. to Regulation (EC) No. 1907/2006 (REACH)

Olefin sulfonated, sodium salt, 40% aq. solution

Version number: GHS 3.0 Revision: 2023-11-08 Replaces version of: 2023-11-07 (GHS 2)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 11 / 11