

according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **Dithallium sulphate** 

Registration number (REACH) this information is not available

CAS number 7446-18-6

Alternative name(s) thallic sulphate

Article number A0287452

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

#### 1.4 Emergency telephone number

Emergency information service +49 89 1 92 40

Poison centre

Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER Lon- don	+44 171 635 91 91	

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.10	acute toxicity (oral)	2	Acute Tox. 2	H300
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.9	specific target organ toxicity - repeated exposure		STOT RE 1	H372
4.1C	4.1C hazardous to the aquatic environment - chronic hazard		Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

United Kingdom: en Page: 1 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS06, GHS08, GHS09





#### - Hazard statements

H300 Fatal if swallowed. H315 Causes skin irritation.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

#### - Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

••••

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth. P391 Collect spillage.

P501 Dispose of contents/container to industrial combustion plant.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance dithallium sulphate

Identifiers

CAS No 7446-18-6 EC No 231-201-3 Index No 081-003-00-4

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	5 <sup>mg</sup> / <sub>kg</sub>	oral

Molecular formula TI2SO4
Molar mass 504.8 g/mol

United Kingdom: en Page: 2 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## Dithallium sulphate

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Sulphur oxides (SOx), Hydrogen iodide (HI)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

United Kingdom: en Page: 3 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## Dithallium sulphate

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Ventilation requirements

Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

United Kingdom: en Page: 4 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [mg/m³]	STEL [ppm]		Ceiling-C [mg/m³]		Source
GB	dust		WEL	10				i	EH40/ 2005
GB	dust		WEL	4				r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	not determined
Odour	characteristic
Melting point/freezing point	632 °C

United Kingdom: en Page: 5 / 12



9.2

Solid content

## **Safety Data Sheet**

according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

Trainiber: 6115 110	
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value)	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	6.77 <sup>g</sup> / <sub>ml</sub> at 25 °C
Relative vapour density	information on this property is not available
Particle characteristics	no data available
Other information	
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	

United Kingdom: en Page: 6 / 12

100 %



according to Regulation (EC) No. 1907/2006 (REACH)

## Dithallium sulphate

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Fatal if swallowed.

- Acute toxicity estimate (ATE)

Oral 5 <sup>mg</sup>/<sub>kg</sub>

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United Kingdom: en Page: 7 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### 11.2 Information on other hazards

There is no additional information.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Information on this property is not available.

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID/ADN UN 1707 IMDG-Code UN 1707 ICAO-TI UN 1707

#### 14.2 UN proper shipping name

ADR/RID/ADN THALLIUM COMPOUND, N.O.S. IMDG-Code THALLIUM COMPOUND, N.O.S. ICAO-TI Thallium compound, n.o.s.

United Kingdom: en Page: 8 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

14.5	Environmental hazards	hazardous to the aquatic environment
	ICAO-TI	II
	IMDG-Code	II
	ADR/RID/ADN	II
14.4	Packing group	
	ICAO-TI	6.1
	IMDG-Code	6.1
	ADR/RID/ADN	6.1
14.3	Transport hazard class(es)	
	Technical name	dithallium sulphate

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### **Information for each of the UN Model Regulations**

## Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code T5

Danger label(s) 6.1, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 43, 274, 802(ADN)

Excepted quantities (EQ) E4
Limited quantities (LQ) 500 g
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 60
Emergency Action Code 2Z

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (P) (hazardous to the aquatic environment)

Danger label(s) 6.1, fish and tree



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

EmS

F-A, S-A

United Kingdom: en Page: 9 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

Stowage category

Α

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

**Environmental hazards** yes (hazardous to the aquatic environment)

Danger label(s) 6.1

Special provisions (SP) Α6 Excepted quantities (EQ) E4 Limited quantities (LQ) 1 kg

#### **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
-------------	-----

#### **National inventories**

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CSCL-ENCS

Australian Inventory of Chemical Substances List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL)

DSL

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

INSQ National Inventory of Chemical Substances Korea Existing Chemicals Inventory NZIoC New Zealand Inventory of Chemicals

**PICCS** Philippine Inventory of Chemicals and Chemical Substances (PICCS)

Taiwan Chemical Substance Inventory TCSI

**TSCA Toxic Substance Control Act** 

United Kingdom: en Page: 10 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)

United Kingdom: en Page: 11 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

## **Dithallium sulphate**

Version number: GHS 1.0 Date of compilation: 2021-07-28

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H300	Fatal if swallowed.
H315	Causes skin irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 12 / 12