

according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Hexamethylene diisocyanate**Registration number (REACH) this information is not available

CAS number 822-06-0

Alternative name(s) 1,6-diisocyanatohexane

Article number A0235135

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

Uses advised against Do not use for squirting or spraying.

1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

1.4 Emergency telephone number

Emergency information service +49 89 1 92 40

Poison centre				
Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER Lon- don	+44 171 635 91 91	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	acute toxicity (inhal.)	1	Acute Tox. 1	H330
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4R	respiratory sensitisation	1	Resp. Sens. 1	H334
3.4\$	skin sensitisation	1	Skin Sens. 1	H317

United Kingdom: en Page: 1 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.8R	specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16.

2.2 **Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS06, GHS08



- Hazard statements

H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled	

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

May cause respiratory irritation. H335

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection. P280

In case of inadequate ventilation wear respiratory protection. P284

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor. P310

P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Hexamethylene diisocyanate

Identifiers

CAS No 822-06-0 EC No 212-485-8 Molecular formula C8H12N2O2 168.2 g/mol Molar mass

United Kingdom: en Page: 2 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

United Kingdom: en Page: 3 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [mg/m³]	STEL [ppm]		Ceiling-C [mg/m³]		Source
GB	isocyanates, com- pounds	822-06-0	WEL	0.02		0.07		NCO	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

NCO measured total-NCO (isocyanate)

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

United Kingdom: en Page: 4 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

Biological limit values

Country	Name of agent	Parameter	Notation	Identifier	Value	Source
GB	Isocyanates (applies to HDI, IPDI, TDI and MDI)	isocyanate-derived diamine	crea	BMGV	1 µmol/mol	EH40/2005

Notation

crea creatinine

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.035 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	0.07 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

Environmental values

Relevant PNECs and other threshold levels

Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	8.42 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 5 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

Physical state	liquid
Colour	various
Odour	pungent

Other safety parameters

pH (value)	not determined
Melting point/freezing point	-67 °C
Initial boiling point and boiling range	255 °C at 1,013 hPa
Flash point	130 °C
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapour pressure	0.007 hPa at 20 °C
Density	1.05 ^g / _{cm³} at 20 °C
Vapour density	this information is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	3.2 (ECHA)
- Soil organic carbon/water (log KOC)	>2.777 - <3.683 (ECHA)
Auto-ignition temperature	454 °C (ECHA)

Viscosity

- Kinematic viscosity	2.29 ^{mm²} / _s at 20 °C
- Dynamic viscosity	2.4 mPa s at 20 °C

United Kingdom: en Page: 6 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

Explosive properties	none
Oxidising properties	none

9.2 Other information

Solvent content	100 %
Temperature class (EU, acc. to ATEX)	T1 (maximum permissible surface temperature on the equipment: 450°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Fatal if inhaled.

- Acute toxicity estimate (ATE)

Oral 959 mg/kg Inhalation: vapour 0.124 mg/l/4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

United Kingdom: en Page: 7 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

Not readily biodegradable.

12.2 Persistence and degradability

Process of degradability

Process	Degradation rate	Time
oxygen depletion	42 %	28 d

12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	3.2 (ECHA)
BCF	59.6 (ECHA)

12.4 Mobility in soil

The Organic Carbon normalised adsorption >2.777 – <3.683 (ECHA)	3	>2.777 - <3.683 (ECHA)
---	---	------------------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

United Kingdom: en Page: 8 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	2281

14.2 UN proper shipping name HEXAMETHYLENE DIISOCYANATE

14.3 Transport hazard class(es)

Class 6.1 (toxic substances)

14.4 Packing group II (substance presenting medium danger)

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 2281

Proper shipping name HEXAMETHYLENE DIISOCYANATE

Class 6.1
Classification code T1
Packing group II
Danger label(s) 6.1



Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E4
Limited quantities (LQ) 100 ml
Transport category (TC) 2

Tunnel restriction code (TRC) D/E
Hazard identification No 60

United Kingdom: en Page: 9 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

Emergency Action Code

2Z

International Maritime Dangerous Goods Code (IMDG)

UN number 2281

Proper shipping name HEXAMETHYLENE DIISOCYANATE

Class 6.1

Marine pollutant
Packing group II

Danger label(s) 6.1



Special provisions (SP) Excepted quantities (EQ) E4
Limited quantities (LQ) 100 mL
EmS F-A, S-A
Stowage category C

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 2281

Proper shipping name Hexamethylene diisocyanate

Class 6.1
Packing group II
Danger label(s) 6.1



Excepted quantities (EQ) E4
Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor

United Kingdom: en Page: 10 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom: en Page: 11 / 12



according to Regulation (EC) No. 1907/2006 (REACH)

Hexamethylene diisocyanate

Version number: GHS 1.0 Date of compilation: 2019-09-16

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 12 / 12