

acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance Dibenzoyl peroxide

CAS number 94-36-0

Alternative name(s) benzoyl peroxide, Dibenzoyl peroxide, diphenylp-

eroxyanhydride

Article number A0010915

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

## 1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

#### 1.4 Emergency telephone number

Emergency information service +49 89 1 92 40

### Poison centre

Country	Name	Postal code/ city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER Lon- don	+44 171 635 91 91	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.15	organic peroxide	В	Org. Perox. B	H241
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	skin sensitisation	1	Skin Sens. 1	H317
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

United Kingdom: en Page: 1 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Dibenzoyl peroxide

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

The most important adverse physicochemical, human health and environmental effects

#### 2.2 Label elements

Labelling

Signal word danger

- Pictograms

GHS01, GHS02, GHS07, GHS09

Spillage and fire water can cause pollution of watercourses.

#### - Hazard statements

H241 Heating may cause a fire or explosion.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

#### - Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P234 Keep only in original packaging.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

....

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P380+P375+P378In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use sand, car-

bon dioxide or powder extinguisher to extinguish.

P391 Collect spillage.

P403 Store in a well-ventilated place.

P420 Store separately.

P501 Dispose of contents/container to industrial combustion plant.

#### 2.3 Other hazards

Heating may cause a fire or explosion.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Name of substance dibenzoyl peroxide

Identifiers

CAS No 94-36-0 EC No 202-327-6

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	M-factor (acute) = 10 M-factor (chronic) = 10	-	

Molecular formula C14H10O4

United Kingdom: en Page: 2 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Dibenzoyl peroxide

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

Molar mass 242.2 g/<sub>mol</sub>

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential. Oxidising property.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United Kingdom: en Page: 3 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Dibenzoyl peroxide

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Take any precaution to avoid mixing with combustibles. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

- Handling of incompatible substances or mixtures
- Keep away from

Organic absorbing material, Pulp/paper

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Flammability hazards

Keep valves and fittings free from oil and grease.

United Kingdom: en Page: 4 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

- Incompatible substances or mixtures

Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

- Ventilation requirements

Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Nota- tion	Source
GB	dust		WEL		10					i	EH40/ 2005
GB	dust		WEL		4					r	EH40/ 2005
GB	dibenzoyl perox- ide	94-36-0	WEL		5						EH40/ 2005

#### Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours

time-weighted average (unless otherwise specified)

#### **Human health values**

### Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	39 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	13.3 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	34 μg/cm²	human, dermal	worker (industry)	chronic - local effects

#### **Environmental values**

#### Relevant PNECs and other threshold levels

Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.02 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0.002 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)

United Kingdom: en Page: 5 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

## Relevant PNECs and other threshold levels

Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.35 <sup>mg</sup> / <sub>l</sub>	aguatic organisms	sewage treatment plant (STP)	short-term (single instance)
	·	. 5	5 1	, 5
PNEC	0.013 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.001 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0.003 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	white
Odour	characteristic
Melting point/freezing point	105 °C
Boiling point or initial boiling point and boiling range	80 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable

United Kingdom: en Page: 6 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

Auto-ignition temperature	not determined
Decomposition temperature	no data available
pH (value)	not applicable
Kinematic viscosity	not relevant

## Solubility(ies)

Water solubility	0.35 <sup>mg</sup> / <sub>l</sub> at 20 °C
------------------	--

### Partition coefficient

Partition coefficient n-octanol/water (log value)	3.2 (pH value: 7.02, 22 °C) (ECHA)
Soil organic carbon/water (log KOC)	3.8 (ECHA)

Vapour pressure 0.009 Pa at 25 °C
-----------------------------------

### Density and/or relative density

Density	1.16 <sup>g</sup> / <sub>ml</sub>
Relative vapour density	information on this property is not available

#### Particle characteristics

Particle size	135 µm
---------------	--------

#### 9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	
Solid content	100 %

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. The mixture contains reactive substance(s). Explosive property. Oxidising property.

If heated:

Danger of explosion

## 10.2 Chemical stability

See below "Conditions to avoid".

United Kingdom: en Page: 7 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Dibenzoyl peroxide

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

### 10.3 Possibility of hazardous reactions

Heating may cause a fire or explosion.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

Do not subject to grinding/shock/friction. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### 10.5 Incompatible materials

Oxidisers, Combustible materials

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

United Kingdom: en Page: 8 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Exposure time
LC50	0.06 <sup>mg</sup> / <sub>l</sub>	fish	96 h
EC50	0.11 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
ErC50	0.071 <sup>mg</sup> / <sub>l</sub>	algae	72 h

## Aquatic toxicity (chronic)

Endpoint	Value	Species	Exposure time
EC50	35 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min

### Biodegradation

The substance is readily biodegradable.

## 12.2 Persistence and degradability

Process of degradability

Process	Degradation rate	Time
oxygen depletion	71 %	28 d

## 12.3 Bioaccumulative potential

Data are not available.

n-octanol/water (log KOW)	3.2 (pH value: 7.02, 22 °C) (ECHA)
---------------------------	------------------------------------

### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	3.8 (ECHA)
--	------------

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Information on this property is not available.

#### 12.7 Other adverse effects

Data are not available.

United Kingdom: en Page: 9 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Dibenzoyl peroxide

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID UN 3104
IMDG-Code UN 3104
ICAO-TI UN 3104

### 14.2 UN proper shipping name

ADR/RID ORGANIC PEROXIDE TYPE C, SOLID IMDG-Code ORGANIC PEROXIDE TYPE C, SOLID ICAO-TI Organic peroxide type C, solid

Technical name dibenzoyl peroxide

### 14.3 Transport hazard class(es)

ADR/RID 5.2 IMDG-Code 5.2 ICAO-TI 5.2

**14.4 Packing group** not assigned

**14.5** Environmental hazards hazardous to the aquatic environment

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# **Information for each of the UN Model Regulations**

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code P1

Danger label(s) 5.2, fish and tree



United Kingdom: en Page: 10 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 122, 274

Excepted quantities (EQ) E0

Limited quantities (LQ) 100 g

Transport category (TC) 1

Tunnel restriction code (TRC) D

Emergency Action Code 1WE

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code 5.2

Danger label(s) 5.2, fish and tree

52

Environmental hazards yes (hazardous to water)

Special provisions (SP) 122, 274

Excepted quantities (EQ) E0
Limited quantities (LQ) 100 g
Transport category (TC) 1
Hazard identification No 539

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 5.2, fish and tree

Special provisions (SP) 122, 195, 274

Excepted quantities (EQ) E0
Limited quantities (LQ) 100 g
EmS F-J, S-R
Stowage category D

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 5.2

Special provisions (SP) A20, A150

Excepted quantities (EQ) E0

United Kingdom: en Page: 11 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Deco-Paint Directive**

VOC content	100 %
-------------	-------

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
-------------	-----

### **National regulations (GB)**

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) AIIC CICR CSCL-ENCS

DSL ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances IECSC

INSQ **KECI** Korea Existing Chemicals Inventory NZIoC

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS** 

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

**TSCA Toxic Substance Control Act** 

United Kingdom: en Page: 12 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
1.1	Registration number (REACH): this information is not available		yes
1.1	Alternative name(s): benzoyl peroxide	Alternative name(s): benzoyl peroxide, Dibenzoyl peroxide, diphenylp- eroxyanhydride	yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of watercourses.	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
3.1	Index No: 617-008-00-0		yes
3.1		EC No: change in the listing (table)	yes
6.2	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it.	Environmental precautions: Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.	yes
8.1		Human health values	yes
8.1		Relevant DNELs and other threshold levels: change in the listing (table)	yes
8.1		Environmental values	yes
8.1		Relevant PNECs and other threshold levels: change in the listing (table)	yes
9.1	Physical state: solid (powder)	Physical state: solid	yes
9.1	Solubility(ies): not determined	Solubility(ies)	yes
9.1		Water solubility: 0.35 <sup>mg</sup> / <sub>l</sub> at 20 °C	yes
9.1	Partition coefficient n-octanol/water (log value): this information is not available	Partition coefficient n-octanol/water (log value): 3.2 (pH value: 7.02, 22 °C) (ECHA)	yes

United Kingdom: en Page: 13 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# Dibenzoyl peroxide

Revision: 2022-05-03

Version number: GHS 2.0 Replaces version of: 2022-03-24 (GHS 1)

> Section Safety-rel-Former entry (text/value) Actual entry (text/value) evant Soil organic carbon/water (log KOC): 9.1 ves 3.8 (ECHA) 9.1 Vapour pressure: Vapour pressure: ves 0.009 Pa at 25 °C not determined Particle characteristics: 9.1 yes no data available Particle characteristics 9.1 yes 9.1 Particle size: yes 135 µm Toxicity: Very toxic to aquatic life with long lasting effects. 12.1 yes Toxicity: Shall not be classified as hazardous to the aquatic environment. 12.1 Aquatic toxicity (acute): yes change in the listing (table) 12.1 Aquatic toxicity (chronic): yes change in the listing (table) Biodegradation: 12.1 yes The substance is readily biodegradable. Persistence and degradability 12.2 Persistence and degradability: yes Data are not available. 12.2 Process of degradability: yes change in the listing (table) 12.3 n-octanol/water (log KOW): 3.2 (pH value: 7.02, 22 °C) (ECHA) yes Mobility in soil: Mobility in soil 12.4 yes Data are not available. The Organic Carbon normalised adsorption coeffi-12.4 yes cient: 3.8 (ECHA) 14.1 ADR/RID: ADR/RID: ves **UN 3108** UN 3104 14.1 IMDG-Code: IMDG-Code: yes **UN 3108 UN 3104** ICAO-TI: ICAO-TI: yes 14.1 **UN 3108** UN 3104 14.2 ADR/RID: ADR/RID: yes ORGANIC PEROXIDE TYPE E, SOLID ORGANIC PEROXIDE TYPE C, SOLID 14.2 IMDG-Code: IMDG-Code: yes ORGANIC PEROXIDE TYPE E, SOLID ORGANIC PEROXIDE TYPE C, SOLID 14.2 ICAO-TI: ICAO-TI: yes Organic peroxide type E, solid Organic peroxide type C, solid Environmental hazards: 14.5 Environmental hazards: yes non-environmentally hazardous acc. to the danhazardous to the aquatic environment gerous goods regulations 14.7 Danger label(s): Danger label(s): yes 5.2, fish and tree 5.2

United Kingdom: en Page: 14 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
14.7		Danger label(s): change in the listing (table)	yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7	Limited quantities (LQ): 500 g	Limited quantities (LQ): 100 g	yes
14.7	Transport category (TC): 2	Transport category (TC): 1	yes
14.7	Emergency Action Code: 1W	Emergency Action Code: 1WE	yes
14.7	Danger label(s): 5.2	Danger label(s): 5.2, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Environmental hazards: yes (hazardous to water)	yes
14.7	Limited quantities (LQ): 500 g	Limited quantities (LQ): 100 g	yes
14.7	Transport category (TC): 2	Transport category (TC): 1	yes
14.7	Marine pollutant: -	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.7	Danger label(s): 5.2	Danger label(s): 5.2, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 122, 274	Special provisions (SP): 122, 195, 274	yes
14.7	Limited quantities (LQ): 500 g	Limited quantities (LQ): 100 g	yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7	Special provisions (SP): A20	Special provisions (SP): A20, A150	yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes

United Kingdom: en Page: 15 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime	
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes

# **Abbreviations and acronyms**

·				
Abbr.	Descriptions of used abbreviations			
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)			
ATE	Acute Toxicity Estimate			
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)			
Ceiling-C	Ceiling value			
DGR	Dangerous Goods Regulations (see IATA/DGR)			
DNEL	Derived No-Effect Level			
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval			
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)			
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)			
EINECS	European Inventory of Existing Commercial Chemical Substances			
ELINCS	European List of Notified Chemical Substances			
EmS	Emergency Schedule			
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control			
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)			
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations			
IATA	International Air Transport Association			
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)			
ICAO	International Civil Aviation Organization			
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air			
IMDG	International Maritime Dangerous Goods Code			
IMDG-Code	International Maritime Dangerous Goods Code			

United Kingdom: en Page: 16 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

# **Dibenzoyl peroxide**

Version number: GHS 2.0 Revision: 2022-05-03 Replaces version of: 2022-03-24 (GHS 1)

Abbr.	Descriptions of used abbreviations	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 17 / 17