

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

|                             |                                            |
|-----------------------------|--------------------------------------------|
| Trade name                  | N-Nitroso-morpholine, 100µg/ml in Methanol |
| Registration number (REACH) | not relevant (mixture)                     |
| Article number              | A0279396                                   |

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                          |             |
|--------------------------|-------------|
| Relevant identified uses | General use |
|--------------------------|-------------|

#### 1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG  
Sonnenring 7  
84032 Altdorf  
Germany

Telephone: +49 871-966346-0  
Telefax: +49 871-966346-13  
e-mail: [chemos@chemos.de](mailto:chemos@chemos.de)  
Website: <http://www.chemos.de/>

|                           |                  |
|---------------------------|------------------|
| e-mail (competent person) | chemos@chemos.de |
|---------------------------|------------------|

#### 1.4 Emergency telephone number

|                               |                |
|-------------------------------|----------------|
| Emergency information service | +49 89 1 92 40 |
|-------------------------------|----------------|

| Poison centre  |                                                               |                   |                   |         |
|----------------|---------------------------------------------------------------|-------------------|-------------------|---------|
| Country        | Name                                                          | Postal code/ city | Telephone         | Telefax |
| United Kingdom | National Poison Information Centre<br>Medical Toxicology Unit | SE14 5ER London   | +44 171 635 91 91 |         |

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class                                     | Category | Hazard class and category | Hazard statement |
|---------|--------------------------------------------------|----------|---------------------------|------------------|
| 2.6     | flammable liquid                                 | 2        | Flam. Liq. 2              | H225             |
| 3.1O    | acute toxicity (oral)                            | 3        | Acute Tox. 3              | H301             |
| 3.1D    | acute toxicity (dermal)                          | 3        | Acute Tox. 3              | H311             |
| 3.1I    | acute toxicity (inhal.)                          | 3        | Acute Tox. 3              | H331             |
| 3.8     | specific target organ toxicity - single exposure | 1        | STOT SE 1                 | H370             |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Immediate effects can be expected after short-term exposure. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word                      danger

- Pictograms

GHS02, GHS06, GHS08



- Hazard statements

H225                      Highly flammable liquid and vapour.  
H301+H311+H331      Toxic if swallowed, in contact with skin or if inhaled.  
H370                      Causes damage to organs.

- Precautionary statements

P210                      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260                      Do not breathe dust/fume/gas/mist/vapours/spray.  
P280                      Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P310              IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P308+P311              IF exposed or concerned: Call a POISON CENTER/doctor.  
P370+P378              In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.  
P403+P233              Store in a well-ventilated place. Keep container tightly closed.  
P403+P235              Store in a well-ventilated place. Keep cool.

- Hazardous ingredients for labelling                      methanol

### 2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

Description of the mixture

| Name of substance | Identifier                                                                  | Wt% | Classification acc. to GHS                                                                                   | Pictograms |
|-------------------|-----------------------------------------------------------------------------|-----|--------------------------------------------------------------------------------------------------------------|------------|
| methanol          | CAS No<br>67-56-1<br><br>EC No<br>200-659-6<br><br>Index No<br>603-001-00-X |     | Flam. Liq. 2 / H225<br>Acute Tox. 3 / H301<br>Acute Tox. 3 / H311<br>Acute Tox. 3 / H331<br>STOT SE 1 / H370 |            |

For full text of abbreviations: see SECTION 16.

**N-Nitroso-morpholine, 100µg/ml in Methanol**

Version number: GHS 1.0

Date of compilation: 2020-03-18

**SECTION 4: First aid measures****4.1 Description of first aid measures**

## General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

## Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

## Following skin contact

Wash with plenty of soap and water.

## Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

## Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

## Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**N-Nitroso-morpholine, 100µg/ml in Methanol**

Version number: GHS 1.0

Date of compilation: 2020-03-18

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

**6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

**7.2 Conditions for safe storage, including any incompatibilities**

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

### - Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

### - Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation. Ground/bond container and receiving equipment.

### - Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

## 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No  | Identifier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Notation | Source     |
|---------|---------------|---------|------------|-----------|-------------|------------|--------------|-----------------|-------------------|----------|------------|
| EU      | methanol      | 67-56-1 | IOELV      | 200       | 260         |            |              |                 |                   |          | 2006/15/EC |
| GB      | methanol      | 67-56-1 | WEL        | 200       | 266         | 250        | 333          |                 |                   |          | EH40/2005  |

#### Notation

Ceiling-C  
STEL

ceiling value is a limit value above which exposure should not occur  
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture

| Name of substance | CAS No  | Endpoint | Threshold level | Protection goal, route of exposure | Used in           | Exposure time              |
|-------------------|---------|----------|-----------------|------------------------------------|-------------------|----------------------------|
| methanol          | 67-56-1 | DNEL     | 260 mg/m³       | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| methanol          | 67-56-1 | DNEL     | 260 mg/m³       | human, inhalatory                  | worker (industry) | acute - systemic effects   |
| methanol          | 67-56-1 | DNEL     | 260 mg/m³       | human, inhalatory                  | worker (industry) | chronic - local effects    |
| methanol          | 67-56-1 | DNEL     | 260 mg/m³       | human, inhalatory                  | worker (industry) | acute - local effects      |
| methanol          | 67-56-1 | DNEL     | 40 mg/kg bw/day | human, dermal                      | worker (industry) | chronic - systemic effects |
| methanol          | 67-56-1 | DNEL     | 40 mg/kg bw/day | human, dermal                      | worker (industry) | acute - systemic effects   |

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

| Relevant PNECs of components of the mixture |         |          |                 |                       |                              |                              |
|---------------------------------------------|---------|----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance                           | CAS No  | Endpoint | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| methanol                                    | 67-56-1 | PNEC     | 20.8 mg/l       | aquatic organisms     | freshwater                   | short-term (single instance) |
| methanol                                    | 67-56-1 | PNEC     | 2.08 mg/l       | aquatic organisms     | marine water                 | short-term (single instance) |
| methanol                                    | 67-56-1 | PNEC     | 100 mg/l        | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| methanol                                    | 67-56-1 | PNEC     | 77 mg/kg        | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| methanol                                    | 67-56-1 | PNEC     | 7.7 mg/kg       | aquatic organisms     | marine sediment              | short-term (single instance) |
| methanol                                    | 67-56-1 | PNEC     | 100 mg/kg       | terrestrial organisms | soil                         | short-term (single instance) |

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                |                |
|----------------|----------------|
| Physical state | liquid         |
| Colour         | various        |
| Odour          | characteristic |

**N-Nitroso-morpholine, 100µg/ml in Methanol**

Version number: GHS 1.0

Date of compilation: 2020-03-18

**Other safety parameters**

|                                         |                                               |
|-----------------------------------------|-----------------------------------------------|
| pH (value)                              | not determined                                |
| Melting point/freezing point            | -97.8 °C                                      |
| Initial boiling point and boiling range | 64.7 °C at 1,013 hPa                          |
| Flash point                             | 9.7 °C at 1,013 hPa                           |
| Evaporation rate                        | not determined                                |
| Flammability (solid, gas)               | not relevant, (fluid)                         |
| Explosive limits                        | not determined                                |
| Vapour pressure                         | 169.3 hPa at 25 °C                            |
| Density                                 | not determined                                |
| Vapour density                          | this information is not available             |
| Relative density                        | information on this property is not available |
| Solubility(ies)                         | not determined                                |

**Partition coefficient**

|                             |                                   |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
| Auto-ignition temperature   | 455 °C                            |
| Viscosity                   | not determined                    |
| Explosive properties        | none                              |
| Oxidising properties        | none                              |

**9.2 Other information**

|                                      |                                                                      |
|--------------------------------------|----------------------------------------------------------------------|
| Solvent content                      | 99.9 %                                                               |
| Solid content                        | 0.01 %                                                               |
| Temperature class (EU, acc. to ATEX) | T1 (maximum permissible surface temperature on the equipment: 450°C) |

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 10.5 Incompatible materials

Oxidisers

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic in contact with skin. Toxic if inhaled.

- Acute toxicity estimate (ATE)

|                    |               |
|--------------------|---------------|
| Oral               | 100.1 mg/kg   |
| Dermal             | 300.3 mg/kg   |
| Inhalation: vapour | 3.003 mg/l/4h |

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance | CAS No  | Exposure route     | ATE       |
|-------------------|---------|--------------------|-----------|
| methanol          | 67-56-1 | oral               | 100 mg/kg |
| methanol          | 67-56-1 | dermal             | 300 mg/kg |
| methanol          | 67-56-1 | inhalation: vapour | 3 mg/l/4h |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.



**N-Nitroso-morpholine, 100µg/ml in Methanol**

Version number: GHS 1.0

Date of compilation: 2020-03-18

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Causes damage to organs.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

**SECTION 12: Ecological information****12.1 Toxicity**

Shall not be classified as hazardous to the aquatic environment.

**12.2 Persistence and degradability**

Data are not available.

**12.3 Bioaccumulative potential**

Data are not available.

**12.4 Mobility in soil**

Data are not available.

**12.5 Results of PBT and vPvB assessment**

Data are not available.

**12.6 Other adverse effects**

Data are not available.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

|                                                                                |                                                                       |
|--------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| <b>14.1 UN number</b>                                                          | 1230                                                                  |
| <b>14.2 UN proper shipping name</b>                                            | METHANOL                                                              |
| <b>14.3 Transport hazard class(es)</b>                                         |                                                                       |
| Class                                                                          | 3 (flammable liquids)                                                 |
| Subsidiary risk(s)                                                             | 6.1 (acute toxicity)                                                  |
| <b>14.4 Packing group</b>                                                      | II (substance presenting medium danger)                               |
| <b>14.5 Environmental hazards</b>                                              | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>                                       |                                                                       |
| Provisions for dangerous goods (ADR) should be complied within the premises.   |                                                                       |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> |                                                                       |
| The cargo is not intended to be carried in bulk.                               |                                                                       |

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

|                                                                                                                                                                         |               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| UN number                                                                                                                                                               | 1230          |
| Proper shipping name                                                                                                                                                    | METHANOL      |
| Class                                                                                                                                                                   | 3             |
| Classification code                                                                                                                                                     | FT1           |
| Packing group                                                                                                                                                           | II            |
| Danger label(s)                                                                                                                                                         | 3+6.1         |
|   |               |
| Special provisions (SP)                                                                                                                                                 | 279, 802(ADN) |
| Excepted quantities (EQ)                                                                                                                                                | E2            |
| Limited quantities (LQ)                                                                                                                                                 | 1 L           |
| Transport category (TC)                                                                                                                                                 | 2             |
| Tunnel restriction code (TRC)                                                                                                                                           | D/E           |
| Hazard identification No                                                                                                                                                | 336           |
| Emergency Action Code                                                                                                                                                   | 2WE           |

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

### International Maritime Dangerous Goods Code (IMDG)

|                      |          |
|----------------------|----------|
| UN number            | 1230     |
| Proper shipping name | METHANOL |
| Class                | 3        |
| Subsidiary risk(s)   | 6.1      |
| Marine pollutant     | -        |
| Packing group        | II       |
| Danger label(s)      | 3+6.1    |



|                          |          |
|--------------------------|----------|
| Special provisions (SP)  | 279      |
| Excepted quantities (EQ) | E2       |
| Limited quantities (LQ)  | 1 L      |
| EmS                      | F-E, S-D |
| Stowage category         | B        |

### International Civil Aviation Organization (ICAO-IATA/DGR)

|                      |          |
|----------------------|----------|
| UN number            | 1230     |
| Proper shipping name | Methanol |
| Class                | 3        |
| Subsidiary risk(s)   | 6.1      |
| Packing group        | II       |
| Danger label(s)      | 3+6.1    |



|                          |      |
|--------------------------|------|
| Special provisions (SP)  | A113 |
| Excepted quantities (EQ) | E2   |
| Limited quantities (LQ)  | 1 L  |

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Deco-Paint Directive (2004/42/EC)

|             |        |
|-------------|--------|
| VOC content | 99.9 % |
|-------------|--------|

#### Directive on industrial emissions (VOCs, 2010/75/EU)

|             |        |
|-------------|--------|
| VOC content | 99.9 % |
|-------------|--------|

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

### SECTION 16: Other information

#### Abbreviations and acronyms

| Abbr.      | Descriptions of used abbreviations                                                                                                                                                                                    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC                    |
| Acute Tox. | Acute toxicity                                                                                                                                                                                                        |
| ADN        | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR        | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)                                       |
| ATE        | Acute Toxicity Estimate                                                                                                                                                                                               |
| CAS        | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)                                                                                                                |
| Ceiling-C  | Ceiling value                                                                                                                                                                                                         |
| CLP        | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures                                                                                                                    |
| DGR        | Dangerous Goods Regulations (see IATA/DGR)                                                                                                                                                                            |
| DNEL       | Derived No-Effect Level                                                                                                                                                                                               |
| EC No      | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)                                     |
| EH40/2005  | EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )                                 |
| EINECS     | European Inventory of Existing Commercial Chemical Substances                                                                                                                                                         |
| ELINCS     | European List of Notified Chemical Substances                                                                                                                                                                         |
| EmS        | Emergency Schedule                                                                                                                                                                                                    |
| Flam. Liq. | Flammable liquid                                                                                                                                                                                                      |
| GHS        | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations                                                                                                             |
| IATA       | International Air Transport Association                                                                                                                                                                               |
| IATA/DGR   | Dangerous Goods Regulations (DGR) for the air transport (IATA)                                                                                                                                                        |
| ICAO       | International Civil Aviation Organization                                                                                                                                                                             |
| IMDG       | International Maritime Dangerous Goods Code                                                                                                                                                                           |
| index No   | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008                                                                                              |
| IOELV      | Indicative occupational exposure limit value                                                                                                                                                                          |
| MARPOL     | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")                                                                                                                     |
| NLP        | No-Longer Polymer                                                                                                                                                                                                     |
| PBT        | Persistent, Bioaccumulative and Toxic                                                                                                                                                                                 |
| PNEC       | Predicted No-Effect Concentration                                                                                                                                                                                     |
| ppm        | Parts per million                                                                                                                                                                                                     |
| REACH      | Registration, Evaluation, Authorisation and Restriction of Chemicals                                                                                                                                                  |
| RID        | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)                                               |

## N-Nitroso-morpholine, 100µg/ml in Methanol

Version number: GHS 1.0

Date of compilation: 2020-03-18

| Abbr.   | Descriptions of used abbreviations               |
|---------|--------------------------------------------------|
| STEL    | Short-term exposure limit                        |
| STOT SE | Specific target organ toxicity - single exposure |
| TWA     | Time-weighted average                            |
| VOC     | Volatile Organic Compounds                       |
| vPvB    | Very Persistent and very Bioaccumulative         |
| WEL     | Workplace exposure limit                         |

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text                                |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed.                 |
| H311 | Toxic in contact with skin.         |
| H331 | Toxic if inhaled.                   |
| H370 | Causes damage to organs.            |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.