

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration (methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name **CombiNORM 5 für volumetrische Einkomponenten-KF-Titration (methanolfrei), ca. 5 mg/ml**  
 Registration number (REACH) not relevant (mixture)  
 Article number A0288431

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses General use  
 Uses advised against Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

**1.3 Details of the supplier of the safety data sheet**

Chemos GmbH & Co. KG  
 Sonnenring 7  
 84032 Altdorf  
 Germany  
  
 Telephone: +49 871-966346-0  
 Telefax: +49 871-966346-13  
 e-mail: chemos@chemos.de  
 Website: <http://www.chemos.de/>

e-mail (competent person) chemos@chemos.de

**1.4 Emergency telephone number**

Emergency information service +49 89 1 92 40

Poison centre				
Country	Name	Postal code/city	Telephone	Telefax
United Kingdom	National Poison Information Centre Medical Toxicology Unit	SE14 5ER London	+44 171 635 91 91	

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.7	reproductive toxicity	1B	Repr. 1B	H360D

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

**2.2 Label elements**

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS05, GHS06,  
GHS08, GHS09



- Hazard statements

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.

- Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.

- Hazardous ingredients for labelling Imidazole, Sulphur dioxide, Iodine

**2.3 Other hazards**

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not relevant (mixture)




**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

**3.2 Mixtures**

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Iodine	CAS No 7553-56-2  EC No 231-442-4  Index No 053-001-00-3	10 – < 25	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Acute 1 / H400	
Imidazole	CAS No 288-32-4  EC No 206-019-2  Index No 613-319-00-0	10 – < 25	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Repr. 1B / H360D	
Sulphur dioxide	CAS No 7446-09-5  EC No 231-195-2  REACH Reg. No 01-2119485028-34- xxxx	2.5 – 10	Press. Gas L / H280 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318	

For full text of abbreviations: see SECTION 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur oxides (SO<sub>x</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

**6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## CombiNORM 5 für volumetrische Einkomponenten-KF-Titration (methanolfrei), ca. 5 mg/ml

Version number: GHS 1.0

Date of compilation: 2020-07-10

### 7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	sulfur dioxide	7446-09-5	IOELV	0.5	1.3	1	2.7				2017/164/EU
GB	sulfur dioxide	7446-09-5	WEL	0.5	1.3	1	2.7				EH40/2005
GB	iodine	7553-56-2	WEL			0.1	1.1				EH40/2005

#### Notation

Ceiling-C  
STEL

ceiling value is a limit value above which exposure should not occur  
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Iodine	7553-56-2	DNEL	0.07 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Iodine	7553-56-2	DNEL	0.01 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sulphur dioxide	7446-09-5	DNEL	2.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Sulphur dioxide	7446-09-5	DNEL	2.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Iodine	7553-56-2	PNEC	18.13 µg/l	aquatic organisms	freshwater	short-term (single instance)
Iodine	7553-56-2	PNEC	60.01 µg/l	aquatic organisms	marine water	short-term (single instance)

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Iodine	7553-56-2	PNEC	11 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Iodine	7553-56-2	PNEC	3.99 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Iodine	7553-56-2	PNEC	20.22 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Iodine	7553-56-2	PNEC	5.95 mg/kg	terrestrial organisms	soil	short-term (single instance)

**8.2 Exposure controls**

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

Physical state	aerosol (spray aerosol)
Colour	various
Odour	characteristic

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

**Other safety parameters**

pH (value)	not determined
Melting point/freezing point	-75.5 °C
Initial boiling point and boiling range	-10.05 °C at 101.3 kPa
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	
Explosive limits	not determined
Vapour pressure	3,271 hPa at 20 °C
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	not determined
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidising properties	none

**9.2 Other information**

Solvent content	0 %
Solid content	50 %
Propellant content	10 %

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

**10.2 Chemical stability**

See below "Conditions to avoid".

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

Protect from sunlight.

**10.5 Incompatible materials**

Oxidisers

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification according to GHS (1272/2008/EC, CLP)**

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

- Acute toxicity estimate (ATE)

Oral 500 mg/kg  
Inhalation: gas 700 ppmV/4h

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Iodine	7553-56-2	oral	500 mg/kg
Iodine	7553-56-2	dermal	1,100 mg/kg
Iodine	7553-56-2	inhalation: dust/mist	4.588 mg/l/4h
Imidazole	288-32-4	oral	500 mg/kg
Sulphur dioxide	7446-09-5	inhalation: gas	700 ppmV/4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.



**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Very toxic to aquatic life.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Iodine	7553-56-2	LC50	1.67 mg/l	fish	96 h
Iodine	7553-56-2	ErC50	0.13 mg/l	algae	72 h

**12.2 Persistence and degradability**

Data are not available.

**12.3 Bioaccumulative potential**

Data are not available.

**12.4 Mobility in soil**

Data are not available.

**12.5 Results of PBT and vPvB assessment**

Data are not available.

**12.6 Other adverse effects**

Data are not available.

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Remarks**


Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information**

<b>14.1 UN number</b>	1760
<b>14.2 UN proper shipping name</b>	CORROSIVE LIQUID, N.O.S.
Technical name (hazardous ingredients)	Iodine, Imidazole
<b>14.3 Transport hazard class(es)</b>	
Class	8 (corrosive substances) (environmentally hazardous)
<b>14.4 Packing group</b>	I (substance presenting high danger)
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
<b>14.6 Special precautions for user</b>	
Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b>	
The cargo is not intended to be carried in bulk.	

**Information for each of the UN Model Regulations**




**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Class	8
Classification code	C9
Packing group	I
Danger label(s)	8, fish and tree
	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274
Excepted quantities (EQ)	E0
Limited quantities (LQ)	0
Transport category (TC)	1

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

Tunnel restriction code (TRC)	E
Hazard identification No	88
Emergency Action Code	2X
<b>International Maritime Dangerous Goods Code (IMDG)</b>	
UN number	1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Class	8
Marine pollutant	YES (hazardous to the aquatic environment)
Packing group	I
Danger label(s)	8, fish and tree
 	
Special provisions (SP)	274
Excepted quantities (EQ)	E0
Limited quantities (LQ)	0
EmS	F-A, S-B
Stowage category	B
<b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>	
UN number	1760
Proper shipping name	Corrosive liquid, n.o.s.
Class	8
Environmental hazards	YES (hazardous to the aquatic environment)
Packing group	I
Danger label(s)	8
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E0

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Relevant provisions of the European Union (EU)**

**Deco-Paint Directive (2004/42/EC)**

VOC content	0 %
-------------	-----

**Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content	0 %
-------------	-----

## CombiNORM 5 für volumetrische Einkomponenten-KF-Titration (methanolfrei), ca. 5 mg/ml

Version number: GHS 1.0

Date of compilation: 2020-07-10

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

Abbr.	Descriptions of used abbreviations
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

**Key literature references and sources for data**

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**List of relevant phrases (code and full text as stated in chapter 2 and 3)**

Code	Text
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.

**CombiNORM 5 für volumetrische Einkomponenten-KF-Titration  
(methanolfrei), ca. 5 mg/ml**

Version number: GHS 1.0

Date of compilation: 2020-07-10

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

**Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.