

according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Combi Solvent E für volumetrische Einkompon-

enten-KF-Titration

Registration number (REACH) not relevant (mixture)

Article number A0288432

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

Uses advised against Do not use for squirting or spraying. Do not use

for products which come into direct contact with

the skin.

1.3 Details of the supplier of the safety data sheet

Chemos GmbH & Co. KG Sonnenring 7 84032 Altdorf Germany

Telephone: +49 871-966346-0 Telefax: +49 871-966346-13 e-mail: chemos@chemos.de Website: http://www.chemos.de/

e-mail (competent person) chemos@chemos.de

1.4 Emergency telephone number

Emergency information service +49 89 1 92 40

| Poison centre | | | | |
|----------------|---------------------------------------------------------------|----------------------|-------------------|---------|
| Country | Name | Postal code/ city | Telephone | Telefax |
| United Kingdom | National Poison Information Centre Medical Toxicology Unit | SE14 5ER Lon- don | +44 171 635 91 91 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and cat- egory | Hazard state- ment |
|---------|------------------------------------------|----------|--------------------------------|-----------------------|
| 2.6 | flammable liquid | 2 | Flam. Liq. 2 | H225 |
| 2.16 | substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.2 | skin corrosion/irritation | 1B | Skin Corr. 1B | H314 |
| 3.3 | serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.6 | carcinogenicity | 2 | Carc. 2 | H351 |
| 3.7 | reproductive toxicity | 1B | Repr. 1B | H360Df |

United Kingdom: en Page: 1 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word danger

- Pictograms

GHS02, GHS05, GHS08



- Hazard statements

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P370+P378 In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

- Hazardous ingredients for labelling Sulphur dioxide, 2-methylimidazole

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|-------------------|---------------------------------------------------------------------|---------|--------------------------------------------|------------|
| Ethanol | CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 | 90 - 95 | Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 | |

United Kingdom: en Page: 2 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|-------------------|-----------------------------------------------------------------------------------------|----------|---------------------------------------------------------------------------------------------------------|------------|
| Sulphur dioxide | CAS No 7446-09-5 EC No 231-195-2 REACH Reg. No 01-2119485028-34- xxxx | 2.5 – 10 | Press. Gas L / H280 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 | |
| 2-methylimidazole | CAS No 693-98-1 EC No 211-765-7 REACH Reg. No 01-2119980041-46- xxxx | 2.5 | Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Carc. 2 / H351 Repr. 1B / H360Df | |

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

United Kingdom: en Page: 3 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Substance or mixture corrosive to metals.

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Sulphur oxides (SOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

United Kingdom: en Page: 4 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Coun- try | Name of agent | CAS No | Identi- fier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [mg/m³] | Source |
|--------------|----------------|-----------|-----------------|--------------|----------------|---------------|-----------------|----------------------|-----------------|
| EU | sulfur dioxide | 7446-09-5 | IOELV | 0.5 | 1.3 | 1 | 2.7 | | 2017/ 164/EU |
| GB | ethanol | 64-17-5 | WEL | 1,000 | 1,920 | | | | EH40/ 2005 |
| GB | sulfur dioxide | 7446-09-5 | WEL | 0.5 | 1.3 | 1 | 2.7 | | EH40/ 2005 |

Notation

Ceiling-C STEL ceiling value is a limit value above which exposure should not occur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (values otherwise specified).

od (unless otherwise specified)
TWA time-weighted average (long-te

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

| Name of substance | CAS No | Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|-----------|----------|-----------------------|---------------------------------------|-------------------|-------------------------------|
| Sulphur dioxide | 7446-09-5 | DNEL | 2.7 mg/m ³ | human, inhalatory | worker (industry) | chronic - local ef- fects |
| Sulphur dioxide | 7446-09-5 | DNEL | 2.7 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| 2-methylimidazole | 693-98-1 | DNEL | 0.3 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 2-methylimidazole | 693-98-1 | DNEL | 0.04 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

United Kingdom: en Page: 5 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

Relevant PNECs of components of the mixture

| Name of substance | CAS No | Endpoint | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|----------|----------|----------------------------------|-------------------|---------------------------------|------------------------------|
| 2-methylimidazole | 693-98-1 | PNEC | 193 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

During spraying wear suitable respiratory equipment.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| Physical state | aerosol (spray aerosol) |
|----------------|-------------------------|
| Colour | various |
| Odour | characteristic |

Other safety parameters

| pH (value) | not determined |
|-----------------------------------------|------------------------|
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | -10.05 °C at 101.3 kPa |
| Flash point | 9.7 °C at 1,013 hPa |
| Evaporation rate | not determined |
| Flammability (solid, gas) | |

United Kingdom: en Page: 6 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

Explosive limits

| - Lower explosion limit (LEL) | 2.5 vol% |
|-------------------------------|-----------------------------------------------|
| - Upper explosion limit (UEL) | 13.5 vol% |
| Vapour pressure | 3,271 hPa at 20 °C |
| Density | not determined |
| Vapour density | this information is not available |
| Relative density | information on this property is not available |
| Solubility(ies) | not determined |

Partition coefficient

| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|--------------------------------------------------------|
| Auto-ignition temperature | 455 °C (auto-ignition temperature (liquids and gases)) |
| Viscosity | not relevant (aerosol) |
| Explosive properties | none |
| Oxidising properties | none |

9.2 Other information

| Solvent content | 97.5 % |
|--------------------------------------|----------------------------------------------------------------------|
| Solid content | 0 % |
| Propellant content | 10 % |
| Temperature class (EU, acc. to ATEX) | T1 (maximum permissible surface temperature on the equipment: 450°C) |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition. Substance or mixture corrosive to metals.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

United Kingdom: en Page: 7 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Protect from sunlight.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

- Acute toxicity estimate (ATE)

Inhalation: gas 700 ppmV/4h

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance | CAS No | Exposure route | ATE |
|-------------------|-----------|-----------------|-------------------------------------|
| Sulphur dioxide | 7446-09-5 | inhalation: gas | 700 ^{ppmV} / _{4h} |
| 2-methylimidazole | 693-98-1 | oral | 1,500 ^{mg} / _{kg} |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United Kingdom: en Page: 8 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number 2924

14.2 UN proper shipping name FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Technical name (hazardous ingredients) Ethanol, Sulphur dioxide

14.3 Transport hazard class(es)

Class 3 (flammable liquids)
Subsidiary risk(s) 8 (corrosive effects)

14.4 Packing group II (substance presenting medium danger)

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

United Kingdom: en Page: 9 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 2924

Proper shipping name FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Class 3
Classification code FC
Packing group II
Danger label(s) 3+8





Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) D/E

Hazard identification No 338

Emergency Action Code 3WE

International Maritime Dangerous Goods Code (IMDG)

UN number 2924

Proper shipping name FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Class 3
Subsidiary risk(s) 8
Marine pollutant Packing group II
Danger label(s) 3+8





Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-C

Stowage category B

United Kingdom: en Page: 10 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 2924

Proper shipping name Flammable liquid, corrosive, n.o.s.

Class 3
Subsidiary risk(s) 8

Packing group II

Danger label(s)

Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E2

Limited quantities (LQ)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Deco-Paint Directive (2004/42/EC)

| VOC content | 97.5 % |
|-------------|--------|
|-------------|--------|

3+8

Directive on industrial emissions (VOCs, 2010/75/EU)

| VOC content | 95 % |
|-------------|------|
|-------------|------|

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 2017/164/EU | Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU | |
| Acute Tox. | Acute toxicity | |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) | |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) | |
| ATE | Acute Toxicity Estimate | |
| Carc. | Carcinogenicity | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | |
| Ceiling-C | Ceiling value | |

United Kingdom: en Page: 11 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

| Abbr. | Descriptions of used abbreviations |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| Press. Gas | Gas under pressure |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| Repr. | Reproductive toxicity |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |

United Kingdom: en Page: 12 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Combi Solvent E für volumetrische Einkomponenten-KF-Titration

Version number: GHS 1.0 Date of compilation: 2020-07-10

| Abbr. | Descriptions of used abbreviations |
|-------|------------------------------------------|
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|--------|---------------------------------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H280 | Contains gas under pressure; may explode if heated. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H351 | Suspected of causing cancer. |
| H360Df | May damage the unborn child. Suspected of damaging fertility. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 13 / 13