

Printing date 23.08.2018

Revision: 23.08.2018

 Product identifier Trade name: N-Phenyldiethanolamine Article number: 10287249 CAS Number: 1204-76-8 FC number: 204-368-5 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Laboratory chemicals Details of the supplier of the safety data sheet Manufacturer/Supplier: Chemos GmbH & Co. KG Werner-von-Siemens-Straße 3 9128 Regenstuaf Details of the supplier of the safety data sheet Manufacturer/Supplier: Chemos GmbH & Co. KG Werner-von-Siemens-Straße 3 9128 Regenstuaf Details of chemos.de Www.chemos.de Further information obtainable from: Abreitung Produktsicherheit Emergency telephone number: RU 112 Germany 49(0613119240 France + 33(0)145425959 Spain + 34915620420 Nethertands + 31(0)202748888 Switzerland 145 English speaking counties +441805407333 USA / Canada + 12024642554 Australia + 61280144558 Germany: +49(0)613119240 2 Hazards identification Eve Dam. 1 H318 Causes serious eye damage. <i>Eve Dam.</i> 1 H318 Causes serious eye damage. <i>Story</i> 5: H335 May cause respiratory irritation. StOR 7: H335 May cause respiratory irritation. Story 5: H335 May cause respiratory irritation. Liabeling according to Regulation (EC) No 1272/2008 The substance is classified and labelied according to the CLP regulation.	1 Identification of the substance/mixture and of the company/undertaking
 Article number: A0287249 CAS Number: 120-70-0 FC number: 204-368-5 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Laboratory chemicals Details of the supplier of the safety data sheet Manufacture/Supplier: Chemos GmbH & Co. KG Werner-von-Stemens-Straße 3 9128 Regenstaaf Deutschland chemos Gehemos.de Wow.chemos.de Further information obtainable from: Abteilung Produktsicherheit Emergency telephone number: EU 112 Germany 49(0)613119240 France +33(0)145425959 Spain + 34915620420 Netherlands +31(0)302748888 Switzerland 145 English speaking countries +441865407333 USA / Canada +12024042554 Australia +61280144558 Germany: +49(0)613119240 France +34(0)16435959 Spain +3491562020 Netherlands +31(0)302748888 Switzerland 145 English speaking countries +441865407333 USA / Canada +12024042554 Australia +61280144558 Germany: +49(0)613119240 France +31(0)144558 Germany: +49(0)613119240 Spain +3491562020 Deutries of the substance or mixture Classification of the substance or mixture Classification for the substance or mixture Classification g to Regulation (EC) No 1272/2008 Fre Dam. 1 H318 Causes serious eye damage. Spin Tri. 2 H315 Causes skin irritation. Stort S: 3 H335 May cause respiratory irritation. Tabel elements Labelling according to Regulation (EC) No 1272/2008 	· Product identifier
 CAS Number: 120-07-0 EC number: 204-308-5 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Laboratory chemicals Details of the supplier of the safety data sheet Manufacturer/Supplier: Chemos GmbH & Co. KG Werner-von-Siemens-Straße 3 93128 Regenstauf Detailshould chemos Gechemos.de www.chemos.de Further information obtainable from: Abteilung Produktsicherheit Emergency telephone number: EU 112 Germany 49(0)613119240 France + 33(0)14522595 Spain = 34915620420 Netherlands + 31(0)302748888 Switzerland 145 English speaking countries + 441865407333 USA / Canada + 12024072554 Australia + 61280144558 Germany: + 49(0)613119240 Y Canada + 12024042554 Australia + 61280144558 Germany: + 49(0)613119240 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Z Hazards identification Eye Dam. 1 H318 Causes serious eye damage. Wits 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. Labelling according to Regulation (EC) No 1272/2008 	· Trade name: <u>N-Phenyldiethanolamine</u>
 Manufacturer/Supplier: Chemos GmbH & Co. KG Werner-von-Stemens-Straße 3 93128 Regenstuaf Deutschland chemos@chemos.de Further information obtainable from: Abteilung Produktsicherheit Emergency telephone number: EU 112 Germany 49(0)613119240 France + 33(0)145423959 Spain + 34915620420 Netherlands + 31(0)302748888 Switzerland 145 English speaking countries + 441865407333 USA / Canada + 12024642554 Australia + 61280144558 Germany: + 49(0)613119240 2 Hazards identification Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 <i>Q</i> GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. <i>Sin Irrit.</i> 2 H315 Causes skin irritation. STOT SE 3 H325 May cause respiratory irritation. Label elements Label elements	 CAS Number: 120-07-0 EC number: 204-368-5 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
• Emergency telephone number: EU 112 Germany 49(0)613119240 France +33(0)145425959 Spain +34915620420 Netherlands +31(0)302748888 Switzerland 145 English speaking countries +441865407333 USA / Canada +12024642554 Australia +61280144558 Germany: +49(0)613119240 2 Hazards identification • Classification of the substance or mixture • Classification of the substance or mixture • Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • • • • • • • • • • • • • • • • • • •	• Manufacturer/Supplier: Chemos GmbH & Co. KG Werner-von-Siemens-Straße 3 93128 Regenstauf Deutschland chemos@chemos.de
USA / Canada + 12024642554 Australia + 61280144558 Germany: +49(0)613119240 2 Hazards identification • Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. • Label elements • Label elements • Labelling according to Regulation (EC) No 1272/2008	• Emergency telephone number: EU 112 Germany 49(0)613119240 France +33(0)145425959 Spain +34915620420 Netherlands +31(0)302748888
 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements Labelling according to Regulation (EC) No 1272/2008 	USA / Canada +12024642554 Australia +61280144558
 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. Label elements Labelling according to Regulation (EC) No 1272/2008 	
Eye Dam. 1 H318 Causes serious eye damage. For the series of t	· Classification of the substance or mixture
GHS07 Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. • Label elements • Labelling according to Regulation (EC) No 1272/2008	GHS05 corrosion
Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. • Label elements • Labelling according to Regulation (EC) No 1272/2008	Eye Dam. 1 H318 Causes serious eye damage.
Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation. • Label elements • Labelling according to Regulation (EC) No 1272/2008	GHS07
STOT SE 3 H335 May cause respiratory irritation. • Label elements • Labelling according to Regulation (EC) No 1272/2008	Acute Tox. 4 H302 Harmful if swallowed.
• Label elements • Labelling according to Regulation (EC) No 1272/2008	Skin Irrit. 2 H315 Causes skin irritation.
· Labelling according to Regulation (EC) No 1272/2008	STOT SE 3 H335 May cause respiratory irritation.
(Contd. on page 2)	• <i>Labelling according to Regulation (EC) No 1272/2008</i> The substance is classified and labelled according to the CLP regulation.



Printing date 23.08.2018

Revision: 23.08.2018

Trade name: N-Phenyldiethanolamine

Hazard pictogra	(Contd. of page 1
GHS05 GHS	\$07
Signal word Da	nger
Hazard stateme	
H302 Harmful i	f swallowed.
H315 Causes sk	
H318 Causes se	rious eye damage.
	e respiratory irritation.
Precautionary s	
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazards Results of PBT	and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterisation: Substances
- · CAS No. Description
- 120-07-0 N-Phenyldiethanolamine
- Identification number(s)
- · EC number: 204-368-5

4 First aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Printing date 23.08.2018

Revision: 23.08.2018

Trade name: N-Phenyldiethanolamine

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Use neutralising agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling Thorough dedusting.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 11
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work. Avoid contact with the skin.
- Avoid contact with the skin. Avoid contact with the eves and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

(Contd. of page 2)

⁽conta: on page

Printing date 23.08.2018

Revision: 23.08.2018

Trade name: N-Phenyldiethanolamine

(Contd. of page 3) Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information		
Appearance:		
Form:	Solid	
Colour:	Not determined.	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	54 °C	
Initial boiling point and boiling range	: 270 °C	
Flash point:	165 °C	
Flammability (solid, gas):	Product is not flammable.	
Ignition temperature:	390 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density at 20 °C:	1.115 g/cm ³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water at 20 °C:	3 g/l	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	

GB

Printing date 23.08.2018

Revision: 23.08.2018

(Contd. of page 4)

Trade name: N-Phenyldiethanolamine

· Other information

No further relevant information available.

<u>10 Stability and reactivity</u>

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity
- Harmful if swallowed.
- · LD/LC50 values relevant for classification:
- Oral LD50 980 mg/kg (rat)
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- *Serious eye damage/irritation Causes serious eye damage.*
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 23.08.2018

Revision: 23.08.2018

Trade name: N-Phenyldiethanolamine

(Contd. of page 5)

13 Disposal considerations

· Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP 4 Irritant - skin irritation and eye damage

HP 5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 6 Acute Toxicity

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
Packing group ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I and the IBC Code	I of Marpol Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I Substance is not listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Abteilung Umweltschutz

- · Contact: Hr. Gräwe
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 7)

GB

Printing date 23.08.2018

Revision: 23.08.2018

Trade name: N-Phenyldiethanolamine

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 6)

GB